

References

- Adamec, D. and R. L. Elsberry (1985). Numerical simulations of the response of intense ocean currents to atmospheric forcing. *J. Phys. Oceanogr.*, **15**, 273–287.
- Adlerman, E. J. and K. K. Droegemeier (2002). The sensitivity of numerically simulated cyclic mesocyclogenesis to variations in model physical and computational parameters. *Mon. Wea. Rev.*, **130**, 2671–2691.
- Agee, E. and A. Gluhovsky (1999). LES model sensitivities to domain, grids, and large-eddy timescales. *J. Atmos. Sci.*, **56**, 599–604.
- Al Nakshabandi, G. and H. Kohnke (1965). Thermal conductivity and diffusivity of soils as related to moisture tension and other physical properties. *Agric. Meteor.*, **2**, 271–279.
- Al-Saadi, J., J. Szykman, R. B. Pierce, *et al.* (2005). Improving national air quality forecasts with satellite aerosol observations. *Bull. Amer. Meteor. Soc.*, **86**, 1249–1261.
- Albrecht, B. A. (1989). Aerosols, cloud microphysics, and fractional cloudiness. *Science*, **245**, 1227–1230.
- Albrecht, B. A., V. Ramanathan, and B. A. Boville (1986). The effects of cumulus moisture transports on the simulation of climate with a general circulation model. *J. Atmos. Sci.*, **43**, 2443–2462.
- Alexander, M. J. and J. R. Holton (1997). A model study of zonal forcing in the equatorial stratosphere by convectively induced gravity waves. *J. Atmos. Sci.*, **54**, 408–419.
- Alhamed, A., S. Lakshmivarahan, and D. J. Stensrud (2002). Cluster analysis of multi-model ensemble data from SAMEX. *Mon. Wea. Rev.*, **130**, 226–256.
- Alpaty, K., J. E. Pleim, S. Raman, D. S. Niyogi, and D. W. Byun (1997). Simulation of atmospheric boundary layer processes using local- and nonlocal-closure schemes. *J. Appl. Meteor.*, **36**, 214–233.
- Alpert, J. C., M. Kanamitsu, P. M. Caplan, *et al.* (1988). Mountain induced gravity wave drag parameterization in the NMC medium-range forecast model. In *Eighth Conf. on Numerical Weather Prediction*, Baltimore, MD. American Meteorological Society, pp. 726–733.
- Andreas, E. L. (1992). Sea spray and the turbulent air-sea heat fluxes. *J. Geophys. Res.*, **97**, 11429–11441.
- (1998). A new sea spray generation function for wind speed up to 32 m s^{-1} . *J. Phys. Oceanogr.*, **28**, 2175–2184.

- Andreas, E. L. and J. DeCosmo (1999). Sea spray production and influence on air-sea heat and moisture fluxes over the open ocean. In *Air-Sea Exchange: Physics, Chemistry, and Dynamics*, ed. G. L. Geernaert. Kluwer Academic Publishers, pp. 327–362.
- Andreas, E. L. and K. A. Emanuel (2001). Effects of sea spray on tropical cyclone intensity. *J. Atmos. Sci.*, **58**, 3741–3751.
- Andreas, E. L., J. B. Elson, E. C. Monahan, M. P. Rouault, and S. D. Smith (1995). The sea spray contribution to net evaporation from the sea: a review of recent progress. *Bound.-Layer Meteor.*, **72**, 3–52.
- Anthes, R. A. (1977). A cumulus parameterization scheme utilizing a one-dimensional cloud model. *Mon. Wea. Rev.*, **105**, 270–286.
- (1982). *Tropical Cyclones, Their Evolution, Structure and Effects. Meteorology Monographs*, No. 41. American Meteorological Society.
- (1984). Enhancement of convective precipitation by mesoscale variations in vegetative covering in semiarid regions. *J. Clim. Appl. Meteor.*, **23**, 541–554.
- Anthes, R. A. and T. T. Warner (1978). Development of hydrodynamic models suitable for air pollution and other mesometeorological studies. *Mon. Wea. Rev.*, **106**, 1045–1078.
- Anthes, R. A., E.-Y. Hsie, and Y.-H. Kuo (1987). Description of the Penn State/NCAR mesoscale model version 4 (MM4). NCAR Tech. Note NCAR/TN-282+STR.
- Arakawa, A. (1993). Closure assumptions in the cumulus parameterization problem. In *The Representation of Cumulus Convection in Numerical Models of the Atmosphere*, ed. K. A. Emanuel and D. J. Raymond. *Meteorology Monographs*, No. 46. American Meteorological Society, pp. 1–15.
- Arakawa, A. and W. H. Schubert (1974). Interaction of a cumulus cloud ensemble with the large-scale environment. Part I. *J. Atmos. Sci.*, **31**, 674–701.
- Arpe, K., L. Dümenil, and M. A. Giorgetta (1998). Variability of the Indian monsoon in the CHAM3 model: sensitivity to sea surface temperature, soil moisture, and the stratospheric quasi-biennial oscillation. *J. Climate*, **8**, 1837–1858.
- Artaz, M.-A. and J.-C. Andre (1980). Similarity studies of entrainment in convective mixed layers. *Bound.-Layer Meteor.*, **19**, 51–66.
- Asai, T. (1965). A numerical study of the air-mass transformation over the Japan Sea in winter. *J. Meteor. Soc. Japan*, **43**, 1–15.
- Atger, F. (1999). The skill of ensemble prediction systems. *Mon. Wea. Rev.*, **127**, 1941–1953.
- Atkinson, B. W. (1981). *Meso-scale Atmospheric Circulations*. Academic Press.
- Atwater, M. A. and J. T. Ball (1981). A surface solar radiation model for cloudy atmospheres. *Mon. Wea. Rev.*, **109**, 878–888.
- Avissar, R. and R. A. Pielke (1989). A parameterization of heterogeneous land surfaces for atmospheric numerical models and its impact on regional meteorology. *Mon. Wea. Rev.*, **117**, 2113–2136.
- Avissar, R., P. Avissar, Y. Mahrer, and B. Bravdo (1985). A model to simulate response of plant stomata to environmental conditions. *Agric. For. Meteor.*, **34**, 21–29.
- Ayotte, K. W., P. P. Sullivan, A. Andren, et al. (1996). An evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations. *Bound.-Layer Meteor.*, **79**, 131–175.
- Bailey, M. and J. Hallett (2004). Growth rates and habits of ice crystals between -20° and -70°C . *J. Atmos. Sci.*, **61**, 514–544.

- Baldocchi, D. and K. S. Rao (1995). Intra-field variability of scalar flux densities across a transition between a desert and an irrigated potato field. *Bound.-Layer Meteor.*, **76**, 109–121.
- Baldwin, M. E., J. S. Kain, and M. P. Kay (2002). Properties of the convection scheme in NCEP's Eta Model that affect forecast sounding interpretation. *Wea. Forecasting*, **17**, 1063–1079.
- Ball, J., I. Woodrow, and J. Berry (1987). A model predicting stomatal conductance and its contribution to the control of photosynthesis under different environmental conditions. In *Progress in Photosynthesis Research*, Vol. IV. Martinus Nijhoff, pp. 221–224.
- Ballard, S. P., B. Golding, and R. N. B. Smith (1991). Mesoscale model experimental forecasts of the haar of northeast Scotland. *Mon. Wea. Rev.*, **119**, 2107–2123.
- Bane, J. M. and K. E. Osgood (1989). Wintertime air-sea interaction processes across the Gulf Stream. *J. Geophys. Res.*, **94**, 10 755–10 772.
- Bao, J.-W., J. M. Wilczak, J.-K. Choi, and L. H. Kantha (2000). Numerical simulations of air-sea interaction under high wind conditions using a coupled model: a study of hurricane development. *Mon. Wea. Rev.*, **128**, 2109–2210.
- Bao, J.-W., S. A. Michelson, P. J. Neiman, F. M. Ralph, and J. M. Wilczak (2006). Interpretation of enhanced integrated water vapor bands associated with extratropical cyclones: their formation and connection to tropical moisture. *Mon. Wea. Rev.*, **134**, 1063–1080.
- Barker, D. M., W. Huang, Y.-R. Guo, A. J. Bourgeois and Q. N. Xiao (2004). A three-dimensional variational data assimilation system for MM5: implementation and initial results. *Mon. Wea. Rev.*, **132**, 897–914.
- Barker, H. W. and J. A. Davies (1992). Solar radiative fluxes for stochastic, scaling invariant broken cloud field. *J. Atmos. Sci.*, **49**, 1115–1126.
- Barker, H. W., G. L. Stephens, P. T. Partain, et al. (2003). Assessing 1D atmospheric solar radiative transfer models: interpretation and handling of unresolved clouds. *J. Climate*, **16**, 2676–2699.
- Bartels, D. L. and R. A. Maddox (1991). Midlevel cyclonic vortices generated by mesoscale convective systems. *Mon. Wea. Rev.*, **119**, 104–118.
- Barton, I. J. (1979). A parameterization of the evaporation from nonsaturated surface. *J. Appl. Meteor.*, **18**, 43–47.
- Basara, J. B. (2000). The value of point-scale measurements of soil moisture in planetary boundary layer simulations. Ph.D. Dissertation, University of Oklahoma.
- Basara, J. B. and K. C. Crawford (2002). Linear relationships between root-zone soil moisture and atmospheric processes in the planetary boundary layer. *J. Geophys. Res.*, **107**, 10.1029/2001JD000633.
- Bazzaz, F. A. and E. D. Fajer (1992). Plant life in a CO₂-rich world. *Sci. Amer.*, **266**(1), 68–74.
- Beard, K. V. and H. R. Pruppacher (1971). A wind tunnel investigation of the rate of evaporation of small water drops falling at terminal velocity in the air. *J. Atmos. Sci.*, **28**, 1455–1464.
- Bechtold, P., J. P. Pinty, and P. Mascart (1993). The use of partial cloudiness in a warm-rain parameterization: a subgrid-scale precipitation scheme. *Mon. Wea. Rev.*, **121**, 3301–3311.
- Beljaars, A. C. M. and A. A. M. Holtslag (1991). Flux parameterization over land surfaces for atmospheric models. *J. Appl. Meteor.*, **30**, 327–341.

- Beljaars, A. C. M., P. Viterbo, M. J. Miller, and A. K. Betts (1996). Anomalous rainfall over the United States during July 1993: sensitivity to land surface parameterization and soil moisture anomalies. *Mon. Wea. Rev.*, **124**, 362–383.
- Benjamin, S. G. (1983). Some effects of surface heating and topography on the regional severe storm environment. Ph.D. Thesis, Department of Meteorology, The Pennsylvania State University, University Park, PA.
- Benjamin, S. G. and T. N. Carlson (1986). Some effects of surface heating and topography on the regional severe storm environment. Part I: Three-dimensional simulation. *Mon. Wea. Rev.*, **114**, 307–329.
- Berg, L. K. and R. B. Stull (2005). A simple parameterization coupling the convective daytime boundary layer and fair-weather cumuli. *J. Atmos. Sci.*, **62**, 1976–1988.
- Berry, E. X. (1965). Cloud droplet growth by condensation. Ph.D. Thesis, University of Nevada.
(1967). Cloud droplet growth by collection. *J. Atmos. Sci.*, **24**, 688–701.
(1968). Modification of the warm rain process. In *Proc. 1st National Conf. on Weather Modification*, Albany, NY. American Meteorological Society, pp. 81–88.
- Berry, E. X. and R. L. Reinhardt (1974a). An analysis of cloud drop growth by collection. Part I: Double distributions. *J. Atmos. Sci.*, **31**, 1814–1824.
(1974b). An analysis of cloud drop growth by collection. Part II: Single initial distributions. *J. Atmos. Sci.*, **31**, 2127–2135.
- Betts, A. K. (1973). Non-precipitating cumulus convection and its parameterization. *Quart. J. Roy. Meteor. Soc.*, **99**, 178–196.
(1983). Thermodynamics of mixed stratocumulus layers: saturation point budgets. *J. Atmos. Sci.*, **40**, 2655–2670.
(1985). Mixing line analysis of clouds and cloudy boundary layers. *J. Atmos. Sci.*, **42**, 2751–2763.
(1986). A new convective adjustment scheme. Part I: Observational and theoretical basis. *Quart. J. Roy. Meteor. Soc.*, **112**, 677–691.
(1992). FIFE atmospheric boundary layer budget methods. *J. Geophys. Res.*, **97**(D17), 18 523–18 531.
- Betts, A. K. and M. J. Miller (1986). A new convective adjustment scheme. Part II: Single column tests using GATE wave, BOMEX, ATEX and arctic air-mass data sets. *Quart. J. Roy. Meteor. Soc.*, **112**, 693–709.
(1993). The Betts–Miller scheme. In *The Representation of Cumulus Convection in Numerical Models of the Atmosphere*, ed. K. A. Emanuel and D. J. Raymond. *Meteorology Monographs*, No. 46. American Meteorological Society, pp. 107–121.
- Betts, A. K. and J. H. Ball (1997). Albedo over the boreal forest. *J. Geophys. Res.*, **102**, 28 901–28 909.
- Betts, A. K., R. L. Desjardins, J. I. MacPherson, and R. D. Kelly (1990). Boundary layer heat and moisture budgets from FIFE. *Bound.-Layer Meteor.*, **50**, 109–137.
- Betts, A. K., R. L. Desjardins, and J. I. MacPherson (1992). Budget analysis of the boundary layer grid flights during FIFE 1987. *J. Geophys. Res.*, **97**(D17), 18 533–18 546.
- Betts, A. K., F. Chen, K. Mitchell, and Z. I. Janjic (1997). Assessment of the land surface and boundary layer models in two operational versions of the NCEP Eta Model using FIFE data. *Mon. Wea. Rev.*, **125**, 2896–2916.
- Bhumralkar, C. M. (1975). Numerical experiments on the computation of ground surface temperature in an atmospheric general circulation model. *J. Appl. Meteor.*, **14**, 1246–1258.

- Bitz, C. M. and W. H. Lipscomb (1999). An energy-conserving thermodynamic model of sea ice. *J. Geophys. Res.*, **104**, 15 669–15 677.
- Black, T. L. (1994). The new NMC mesoscale Eta Model: description and forecast examples. *Wea. Forecasting*, **9**, 265–284.
- Blackadar, A. K. (1957). Boundary layer wind maxima and their significance for the growth of nocturnal inversions. *Bull. Amer. Meteor. Soc.*, **38**, 283–290.
- (1976). Modeling the nocturnal boundary layer. In *Proceedings 3rd Symposium on Atmospheric Turbulence, Diffusion and Air Quality*. American Meteorological Society, pp. 46–49.
- (1978). Modeling pollutant transfer during daytime convection. Preprints. In *Fourth Symp. on Atmos. Turbulence, Diffusion and Air Quality*, Reno, NV. American Meteorological Society, pp. 443–447.
- (1979). High-resolution models of the planetary boundary layer. In *Advances in Environmental Science and Engineering*, vol. 1, ed. J. R. Pfafflin and E. N. Ziegler. Gordon and Breach Science Publishers, pp. 50–85.
- Blyth, E. M. and A. J. Dolman (1995). The roughness length for heat of sparse vegetation. *J. Appl. Meteor.*, **54**, 583–585.
- Boer, G. J., N. A. McFarlane, R. Laprise, J. D. Henderson, and J.-P. Blanchet (1984). The Canadian Climate Centre spectral atmospheric general circulation model. *Atmos.-Ocean*, **22**, 397–429.
- Bonan, G. B., S. Levis, S. Sitch, M. Vertenstein, and K. W. Oleson (2003). A dynamic global vegetation model for use with climate models: concepts and description of simulated vegetation. *Global Change Biol.*, **9**, 1543–1566.
- Bony, S. and K. A. Emanuel (2001). A parameterization of the cloudiness associated with cumulus convection; evaluation using TOGA COARE data. *J. Atmos. Sci.*, **58**, 3158–3183.
- Bosart, L. F. (1999). Observed cyclone life cycles. In *The Life Cycles of Extratropical Cyclones*, ed. M. A. Shapiro and S. Grönäs. American Meteorological Society, pp. 187–213.
- (2003). Whither the weather analysis and forecasting process? *Wea. Forecasting*, **18**, 520–529.
- Bosseut, C., M. Déqué, and D. Cariolle (1998). Impact of a simple parameterization of convective gravity-wave drag in a stratosphere–troposphere general circulation model and its sensitivity to vertical resolution. *Ann. Geophysicae*, **16**, 238–239.
- Boucher, O., S. E. Schwartz, T. P. Ackerman, et al. (1998). Intercomparison of models representing direct shortwave radiative forcing by sulfate aerosols. *J. Geophys. Res.*, **103**, 16 979–16 998.
- Bourassa, M. A., D. G. Vincent, and W. L. Wood (1999). A flux parameterization including the effects of capillary waves and sea state. *J. Atmos. Sci.*, **56**, 1123–1139.
- (2001). A sea state parameterization with nonarbitrary wave age applicable to low and moderate wind speeds. *J. Phys. Oceanogr.*, **31**, 2840–2851.
- Bowdle, D. A., P. V. Hobbs, and L. F. Radke (1985). Particles in the lower troposphere over the High Plains of the United States. Part III: Ice nuclei. *J. Clim. Appl. Meteor.*, **24**, 1370–1376.
- Bowen, I. S. (1926). The ratio of heat losses by conduction and by evaporation from any water surface. *Phys. Rev.*, **27**, 779–787.
- Bresch, J. F., R. J. Reed, and M. D. Albright (1997). A polar-low development over the Bering Sea: analysis, numerical simulation, and sensitivity experiments. *Mon. Wea. Rev.*, **125**, 3109–3130.

- Bretherton, C. S., J. R. McCaa, and H. Grenier (2004). A new parameterization for shallow cumulus convection and its application to marine subtropical cloud-topped boundary layers. Part I: Description and 1D results. *Mon. Wea. Rev.*, **132**, 864–882.
- Bretherton, F. P. (1969). Momentum transport by gravity waves. *Quart. J. Roy. Meteor. Soc.*, **95**, 213–243.
- Briegleb, B. P. (1992). Delta-Eddington approximation for solar radiation in the NCAR Community Climate Model. *J. Geophys. Res.*, **97**, 7603–7612.
- Bright, D. R. and S. L. Mullen (2002). The sensitivity of the numerical simulation of the southwest monsoon boundary layer to the choice of PBL turbulence parameterization in MM5. *Wea. Forecasting*, **17**, 99–114.
- Brooks, D. A. (1983). The wake of Hurricane Allen in the western Gulf of Mexico. *J. Phys. Oceanogr.*, **13**, 117–129.
- Brooks, H. E., C. A. Doswell III, and R. A. Maddox (1992). On the use of mesoscale and cloud-scale models in operational forecasting. *Wea. Forecasting*, **7**, 120–132.
- Brooks, H. E., C. A. Doswell III, and J. Cooper (1994b). On the environments of tornadic and nontornadic mesocyclones. *Wea. Forecasting*, **9**, 606–618.
- Brooks, H. E., C. A. Doswell III, and R. B. Wilhelmson (1994a). On the role of midtropospheric winds in the evolution and maintenance of low-level mesocyclones. *Mon. Wea. Rev.*, **122**, 126–136.
- Brown, R. A. (1980). Longitudinal instabilities and secondary flows in the planetary boundary layer: a review. *Rev. Geophys. Space Phys.*, **18**, 683–697.
- Brutsaert, W. (1982). *Evaporation into the Atmosphere. Theory, History, and Applications*. Reidel.
- Bryan, G. H., J. C. Wyngaard, and J. M. Fritsch (2003). Resolution requirements for the simulation of deep moist convection. *Mon. Wea. Rev.*, **131**, 2394–2416.
- Buermann, W., J. Dong, X. Zeng, R. B. Myneni, and R. E. Dickinson (2001). Evaluation of the utility of satellite-based vegetation leaf area index data for climate simulations. *J. Climate*, **14**, 3536–3550.
- Buirez, J.-C., B. Bonnel, Y. Fouquart, J.-F. Geleyn, and J.-J. Morcrette (1988). Comparison of model-generated and satellite-derived cloud cover and radiation budget. *J. Geophys. Res.*, **93**, 3705–3719.
- Buizza, R. (1997). Potential forecast skill of ensemble prediction and spread and skill distributions of the ECMWF ensemble prediction system. *Mon. Wea. Rev.*, **125**, 99–119.
- Buizza, R. and T. N. Palmer (1995). The singular-vector structure of the atmospheric general circulation. *J. Atmos. Sci.*, **52**, 1434–1456.
- Buizza, R., M. Miller, and T. N. Palmer (1999). Stochastic representation of model uncertainties in the ECMWF ensemble prediction system. *Quart. J. Roy. Meteor. Soc.*, **125**, 2887–2908.
- Burnash, R. J., R. L. Ferral, and R. A. McGuire (1973). A generalized streamflow simulation system: conceptual modeling for digital computers. Technical Report, Joint Fed. and State River Forecast Center, Sacramento, CA.
- Bush, B. C., F. P. J. Valero, A. S. Simpson, and L. Bignone (2000). Characterization of thermal effects in pyranometers: a data correction algorithm for improved measurement of surface insolation. *J. Atmos. Oceanic Technol.*, **17**, 165–175.
- Businger, S., W. H. Bauman III, and G. F. Watson (1991). The development of the Piedmont front and associated outbreak of severe weather on 13 March 1986. *Mon. Wea. Rev.*, **119**, 2224–2251.
- Businger, J. A., J. C. Wyngaard, Y. Izumi, and E. F. Bradley (1971). Flux profile relationships in the atmospheric surface layer. *J. Atmos. Sci.*, **28**, 181–189.

- Byers, H. R. (1965). *Elements of Cloud Physics*. The University of Chicago Press.
- Cahalan, R. F. and J. H. Joseph (1989). Fractal statistics of cloud fields. *Mon. Wea. Rev.*, **117**, 261–272.
- Cahalan, R. F., L. Oreopoulos, A. Marshak, et al. (2005). The I3RC: bringing together the most advanced radiative transfer tools for cloudy atmospheres. *Bull. Amer. Meteor. Soc.*, **86**, 1275–1293.
- Camacho-B., S. E., A. E. Hall, and M. R. Kaufmann (1974). Efficiency and regulation of water transport in some woody and herbaceous species. *Plant Physiol.*, **54**, 169–172.
- Campbell, G. S. (1974). A simple method for determining unsaturated conductivity from moisture retention data. *Water Resources Res.*, **12**, 1118–1124.
- Canny, M. J. (1998). Transporting water in plants. *Amer. Scientist*, **86**, 152–160.
- Cantelaube, P. and J.-M. Terres (2005). Seasonal weather forecasts for crop yield modelling in Europe. *Tellus*, **57A**, 476–487.
- Capenhart, W. J. and T. N. Carlson (1994). Estimating near-surface moisture availability using a meteorologically driven soil–water profile model. *J. Hydrol.*, **160**, 1–20.
- (1997). Decoupling of surface and near-surface soil water content: a remote sensing perspective. *Water Resources Res.*, **33**, 1383–1395.
- Carlson, T. N. and F. E. Boland (1978). Analysis of urban–rural canopy using a surface heat flux/temperature model. *J. Appl. Meteor.*, **17**, 998–1013.
- Carlson, T. N. and D. A. Ripley (1997). On the relation between NDVI, fractional vegetation cover, and leaf area index. *Remote Sens. Environ.*, **62**, 241–252.
- Carlson, T. N., S. G. Benjamin, and G. S. Forbes (1983). Elevated mixed layers in the regional severe storm environment: conceptual model and case studies. *Mon. Wea. Rev.*, **111**, 1453–1474.
- Carruthers, D. J. and J. C. R. Hunt (1990). Fluid mechanics of airflow over hills: turbulence, fluxes, and waves in the boundary layer. In *Atmospheric Processes over Complex Terrain*, ed. W. Blumen. *Meteorology Monographs*, No. 45. American Meteorological Society, pp. 83–107.
- Carson, D. J. (1973). The development of a dry inversion-capped convectively unstable boundary layer. *Quart. J. Roy. Meteor. Soc.*, **99**, 450–467.
- Carson, R. B. (1950). The Gulf Stream front: a cause of stratus on the lower Atlantic coast. *Mon. Wea. Rev.*, **78**, 91–101.
- Cary, J. W. and H. F. Maryland (1972). Salt and water movement in unsaturated frozen soil. *Soil Sci. Soc. Amer. Proc.*, **36**, 549–555.
- Cavalieri, D. J., et al. (1991). Aircraft active and passive microwave validation of sea-ice concentration from the Defense Meteorological Satellite Program (DMSP) Special Sensor Microwave Imager. *J. G. R. Oceans*, **96**(C12), 21 989–22 008.
- Cess, R. D., G. L. Potter, J. P. Blanchet, et al. (1990). Intercomparison and interpretation of climate feedback processes in 19 atmospheric general circulation models. *J. Geophys. Res.*, **95**, 16 601–16 615.
- Chaboureau, J.-P. and P. Bechtold (2002). A simple cloud parameterization derived from cloud resolving model data: diagnostic and prognostic applications. *J. Atmos. Sci.*, **59**, 2362–2372.
- Challinor, A. J., J. M. Slingo, T. R. Wheeler, and F. J. Doblas-Reyes (2005). Probabilistic simulations of crop yield over western India using the DEMETER seasonal hindcast ensembles. *Tellus*, **57A**, 498–512.
- Chang, F.-L. and J. A. Coakley (1993). Estimating errors in fractional cloud cover obtained with infrared threshold methods. *J. Geophys. Res.*, **98**, 8825–8839.

- Chang, J.-T. and P. J. Wetzel (1991). Effects of spatial variations of soil moisture and vegetation to the evolution of a prestorm environment: a numerical case study. *Mon. Wea. Rev.*, **119**, 1368–1390.
- Charlock, T. and B. Herman (1976). Discussion of the Elsasser formulation for infrared fluxes. *J. Appl. Meteor.*, **15**, 657–661.
- Charney, J. G., R. Fjørtoft, and J. von Neuman (1950). Numerical integration of the barotropic vorticity equation. *Tellus*, **2**, 237–254.
- Charnock, H. (1955). Wind stress on a water surface. *Quart. J. Roy. Meteor. Soc.*, **81**, 639–640.
- Chase, T. N., R. A. Pielke, Sr., T. G. F. Kittel, et al. (2001). Relative climatic effects of landcover change and elevated carbon dioxide combined with aerosols: a comparison of model results and observations. *J. Geophys. Res.*, **106**, 31 685–31 691.
- Chelton, D. B. and F. J. Wentz (2005). Global microwave satellite observations of sea surface temperature for numerical weather prediction and climate research. *Bull. Amer. Meteor. Soc.*, **86**, 1097–1115.
- Chen, F. and J. Dudhia (2001). Coupling an advanced land surface-hydrology model with the Penn State-NCAR MM5 modeling system. Part I: Model implementation and sensitivity. *Mon. Wea. Rev.*, **129**, 569–585.
- Chen, F. and K. Mitchell (1999). Using GEWEX/ISLSCP forcing data to simulate global soil moisture fields and hydrological cycle for 1987–1988. *J. Meteor. Soc. Japan*, **77**, 1–16.
- Chen, F., K. Mitchell, J. Schaake, et al. (1996). Modeling of land surface evaporation by four schemes and comparison with FIFE observations. *J. Geophys. Res.*, **101**, 7251–7268.
- Chen, S. and W. R. Cotton (1988). The sensitivity of a simulated extratropical mesoscale convective system to longwave radiation and ice phase microphysics. *J. Atmos. Sci.*, **45**, 3897–3910.
- Chen, T. H., A. Henderson-Sellers, P. C. D. Milly, et al. (1997). Cabauw experimental results from the Project for Intercomparison of Land-Surface Parameterization Schemes. *J. Climate*, **10**, 1194–1215.
- Cheng, C.-P. and R. A. Houze, Jr. (1979). The distribution of convective and mesoscale precipitation in GATE radar echo patterns. *Mon. Wea. Rev.*, **107**, 1370–1381.
- Chevallier, F. and J.-J. Morcrette (2000). Comparison of model fluxes with surface and top-of-the-atmosphere observations. *Mon. Wea. Rev.*, **128**, 3839–3852.
- Chouinard, C., M. Beland, and N. McFarlane (1986). A simple gravity-wave drag parameterization for use in medium-range weather forecast models. *Atmos.-Ocean*, **24**, 91–110.
- Chun, H.-Y. and J.-J. Baik (1998). Momentum flux by thermally induced internal gravity waves and its approximation for large-scale models. *J. Atmos. Sci.*, **55**, 3299–3310.
- (2002). An updated parameterization of convectively forced gravity wave drag for use in large-scale models. *J. Atmos. Sci.*, **59**, 1006–1017.
- Chylek, P. and J. S. Dobbie (1995). Radiative properties of finite inhomogeneous cirrus clouds: Monte Carlo simulations. *J. Atmos. Sci.*, **52**, 3512–3522.
- Clapp, R. B. and G. M. Hornberger (1978). Empirical equations for some soil hydraulic properties. *Water Resources Res.*, **14**, 601–604.
- Clark, T. (1973). Numerical modeling of the dynamics and microphysics of warm cumulus convection. *J. Atmos. Sci.*, **30**, 857–878.

- (1974). A study in cloud phase parameterization using the gamma distribution. *J. Atmos. Sci.*, **31**, 142–155.
- (1976). Use of log-normal distributions for numerical calculations of condensation and collection. *J. Atmos. Sci.*, **33**, 810–821.
- Clark, T. and M. J. Miller (1991). Pressure drag and momentum fluxes due to the Alps. II: Representation in large-scale atmospheric models. *Quart. J. Roy. Meteor. Soc.*, **117**, 527–552.
- Coakley, J. A. and P. Chylek (1975). The two stream approximation in radiative transfer: including the angle of incident radiation. *J. Atmos. Sci.*, **32**, 409–418.
- Collatz, G. J., J. T. Ball, C. Grivet, and J. A. Berry (1991). Physiological and environmental regulation of stomatal conductance, photosynthesis and transpiration: a model that includes a laminar boundary layer. *Agric. For. Meteorol.*, **54**, 107–136.
- Colle, B. A., C. F. Mass, and K. J. Westrick (2000). MM5 precipitation verification over the Pacific Northwest during the 1997–99 cool seasons. *Wea. Forecasting*, **15**, 730–744.
- Colle, B. A., J. B. Olson, and J. S. Tongue (2003). Multiseason verification of the MM5. Part I: Comparison with the Eta model over the central and eastern United States and impact of MM5 resolution. *Wea. Forecasting*, **18**, 431–457.
- Colle, B. A., M. F. Garvert, J. B. Wolfe, et al. (2005b). The 13–14 December 2001 IMPROVE-2 event. Part III: Simulated microphysical budgets and sensitivity studies. *J. Atmos. Sci.*, **62**, 3535–3558.
- Colle, B. A., J. B. Wolfe, W. J. Steenburgh, et al. (2005a). High-resolution simulations and microphysical validation of an orographic precipitation event over the Wasatch Mountains during IPEX IOP3. *Mon. Wea. Rev.*, **133**, 2947–2971.
- Coniglio, M. C. and D. J. Stensrud (2001). Simulation of a progressive derecho using composite initial conditions. *Mon. Wea. Rev.*, **129**, 1593–1616.
- Cooper, W. A. (1986). Ice initiation in natural clouds. In *Precipitation Enhancement – A Scientific Challenge. Meteorology Monographs*, No. 43. American Meteorological Society, pp. 29–32.
- Cortinas, J. V., Jr. and D. J. Stensrud (1995). The importance of understanding mesoscale model parameterization schemes for weather forecasting. *Wea. Forecasting*, **10**, 716–740.
- Cosby, B. J., G. M. Hornberger, R. B. Clapp, and T. R. Ginn (1984). A statistical exploration of the relationships of soil moisture characteristics to the physical properties of soils. *Water Resources Res.*, **20**, 682–690.
- Cotton, W. R. (1972). Numerical simulation of precipitation development in supercooled cumuli – Part I. *Mon. Wea. Rev.*, **100**, 757–763.
- Cotton, W. R. and R. A. Anthes (1989). *Storm and Cloud Dynamics*. Academic Press.
- Cotton, W. R., G. Thompson, and P. W. Mielke (1994). Realtime mesoscale prediction on workstations. *Bull. Amer. Meteor. Soc.*, **75**, 349–362.
- Cox, P. M., C. Huntingford, and R. J. Harding (1998). A canopy conductance and photosynthesis model for use in a GCM land surface scheme. *J. Hydrol.*, **212–213**, 79–94.
- Cox, S. K. and K. T. Griffith (1979). Estimates of radiative divergence during Phase III of the GARP Atlantic Tropical Experiment. Part II: Analysis of Phase III results. *J. Atmos. Sci.*, **36**, 586–601.
- Crawford, T. M., D. J. Stensrud, T. N. Carlson, and W. J. Capchart (2000). Using a soil hydrology model to obtain regionally averaged soil moisture values. *J. Hydrometeorol.*, **1**, 353–363.

- Csanady, G. T. (2001). *Air–Sea Interaction*. Cambridge University Press.
- Curtis, A. R. (1952). Discussion of “A statistical model for water vapour absorption” by R. M. Goody. *Quart. J. Roy. Meteor. Soc.*, **78**, 638.
- Cusack, S., J. M. Edwards, and R. Kershaw (1999). Estimating the subgrid variance of saturation, and its parameterization for use in a GCM cloud scheme. *Quart. J. Roy. Meteor. Soc.*, **125**, 3057–3076.
- Dai, Y., R. E. Dickinson, and Y.-P. Wang (2004). A two-big-leaf model for canopy temperature, photosynthesis, and stomatal conductance. *J. Climate*, **17**, 2281–2299.
- Dai, Y., X. Zeng, R. E. Dickinson, et al. (2003). The common land model. *Bull. Amer. Meteor. Soc.*, **84**, 1013–1023.
- Daley, R. (1991). *Atmospheric Data Analyses*. Cambridge University Press.
- Daly, E., A. Porporato, and I. Rodriguez-Iturbe (2004). Coupled dynamics of photosynthesis, transpiration, and soil water balance. Part I: Upscaling from hourly to daily level. *J. Hydrometeorol.*, **5**, 546–558.
- Davies, J. A. and C. D. Allen (1973). Equilibrium, potential and actual evaporation from cropped surfaces in southern Ontario. *J. Appl. Meteor.*, **12**, 649–657.
- Davis, C. A., K. W. Manning, R. E. Carbone, S. B. Trier, and J. D. Tuttle (2003). Coherence of warm-season continental rainfall in numerical weather prediction models. *Mon. Wea. Rev.*, **131**, 2667–2679.
- Davis, M. H. and J. D. Sartor (1967). Theoretical collision efficiencies for small cloud droplets in Stokes flow. *Nature*, **215**, 1371–1372.
- Deardorff, J. W. (1966). The counter-gradient heat flux in the lower atmosphere and in the laboratory. *J. Atmos. Sci.*, **23**, 503–506.
- (1972). Theoretical expression for the countergradient vertical heat flux. *J. Geophys. Res.*, **77**, 5900–5904.
- (1978). Efficient prediction of ground surface temperature and moisture, with inclusion of a layer of vegetation. *J. Geophys. Res.*, **83**, 1889–1903.
- (1979). Prediction of convective mixed-layer entrainment for realistic capping inversion structure. *J. Atmos. Sci.*, **36**, 424–436.
- Deardorff, J. W., G. E. Willis, and D. K. Lilly (1969). Laboratory investigation of non-steady penetrative convection. *J. Fluid. Mech.*, **35**, 7–31.
- DeFries, R. S. and J. R. G. Townshend (1994). NDVI derived land cover classifications at a global scale. *Int. J. Remote Sens.*, **5**, 3567–3586.
- Del Genio, A. D., M. S. Yao, W. Kovari, and K. W. W. Lo (1996). A prognostic cloud water parameterization for global climate models. *J. Climate*, **9**, 270–304.
- DeMott, P. J., M. P. Meyers, and W. R. Cotton (1994). Parameterization and impact of ice initiation processes relevant to numerical model simulations of cirrus clouds. *J. Atmos. Sci.*, **51**, 77–90.
- Deng, A. and D. R. Stauffer (2006). On improving 4-km mesoscale model simulations. *J. Appl. Meteor. Climatology*, **45**, 361–381.
- Deng, A., N. L. Seaman, and J. S. Kain (2003). A shallow-convection parameterization for mesoscale models. Part I: Submodel description and preliminary applications. *J. Atmos. Sci.*, **60**, 34–56.
- Dennis, A. S., P. L. Smith, Jr., G. A. P. Peterson, and R. D. McNeil (1971). Hailstone size distributions and equivalent radar reflectivity factors computed from hailstone momentum records. *J. Appl. Meteor.*, **10**, 79–85.
- Derber, J. C. (1989). A variational continuous assimilation technique. *Mon. Wea. Rev.*, **117**, 2437–2446.

- Desborough, C. E. (1997). The impact of root weighting on the response of transpiration to moisture stress in land surface schemes. *Mon. Wea. Rev.*, **125**, 1920–1930.
- Dickinson, R. E. (1983). Land surface processes and climate-surface albedos and energy balance. In *Advances in Geophysics*, vol. 25. Academic Press, pp. 305–353.
- (1984). Modeling evapotranspiration for three-dimensional global climate models. In *Climate Processes and Climate Sensitivity*, ed. J. E. Hansen and T. Takahashi. American Geophysical Union, pp. 58–72.
- Ding, P. and D. A. Randall (1998). A cumulus parameterization with multiple cloud base levels. *J. Geophys. Res.*, **103**, 11 341–11 354.
- Donner, L. J. (1993). A cumulus parameterization including mass fluxes, vertical momentum dynamics, and mesoscale effects. *J. Atmos. Sci.*, **50**, 889–906.
- Dopplick, T. G. (1972). Radiative heating of the global atmosphere. *J. Atmos. Sci.*, **29**, 1278–1294.
- Doswell, C. A. III and H. E. Brooks (1998). Budget cutting and the value of weather services. *Wea. Forecasting*, **13**, 206–212.
- Douglas, M. W. (1993). Current research into the monsoon. *Sonorensis, Arizona Sonora Desert Museum Newsletter*, **13**(3), 10–11.
- Douville, H. (2003). Assessing the influence of soil moisture on seasonal climate variability with AGCMs. *J. Hydrometeor.*, **4**, 1044–1066.
- Dowell, D. C., F. Zhang, L. J. Wicker, C. Snyder, and N. A. Crook (2004). Wind and temperature retrievals in the 17 May 1981 Arcadia, Oklahoma supercell: ensemble Kalman filter experiments. *Mon. Wea. Rev.*, **132**, 1982–2005.
- Doyle, J. D. (1995). Coupled ocean wave/atmosphere mesoscale model simulations of cyclogenesis. *Tellus*, **47A**, 766–788.
- (2002). Coupled atmosphere–ocean wave simulations under high wind conditions. *Mon. Wea. Rev.*, **130**, 3087–3099.
- Doyle, J. D. and T. T. Warner (1990). Mesoscale processes during GALE IOP 2. *Mon. Wea. Rev.*, **118**, 283–308.
- Doyle, J. D., D. R. Durran, C. Chen, et al. (2000). An intercomparison of model-predicted wave breaking for the 11 January 1972 Boulder windstorm. *Mon. Wea. Rev.*, **128**, 901–914.
- Drake, V. A. (1985). Radar observations of moths migrating in a nocturnal low-level jet. *Ecol. Entomol.*, **10**, 259–265.
- Dubosclard, G. (1980). A comparison between observed and predicted values for the entrainment coefficient in the planetary boundary layer. *Bound.-Layer Meteor.*, **18**, 473–483.
- Dubovik, O. and M. D. King (2000). A flexible inversion algorithm for retrieval of aerosol optical properties from Sun and sky radiance measurements. *J. Geophys. Res.*, **105**, 20 673–20 696.
- Dudhia, J. (1989). Numerical study of convection observed during the winter monsoon experiment using a mesoscale two-dimensional model. *J. Atmos. Sci.*, **46**, 3077–3107.
- Durran, D. R. (1986). Mountain waves. In *Mesoscale Meteorology and Forecasting*, ed. P. Ray. American Meteorological Society, pp. 472–492.
- (1990). Mountain waves and downslope winds. In *Atmospheric Processes over Complex Terrain*, ed. W. Blumen. *Meteorology Monographs*, No. 45. American Meteorological Society, pp. 59–81.
- (1999). *Numerical Methods for Wave Equations in Geophysical Fluid Dynamics*. Springer-Verlag.

- Durran, D. R. and J. B. Klemp (1982). The effects of moisture on trapped mountain lee waves. *J. Atmos. Sci.*, **39**, 2490–2506.
- Dusek, U., G. P. Frank, L. Hildebrandt, *et al.* (2006). Size matters more than chemistry for cloud-nucleating ability of aerosol particles. *Science*, **312**, 1375–1378.
- Dutton, E. G., J. J. Michalsky, T. Stoffel, *et al.* (2001). Measurements of broadband diffuse solar irradiance using current commercial instrumentation with a correction for thermal offset errors. *J. Atmos. Oceanic Technol.*, **18**, 297–314.
- Dutton, J. A. (1976). *The Ceaseless Wind: an Introduction to the Theory of Atmospheric Motion*. McGraw-Hill.
- Dutton, J. A. and G. H. Fichtl (1969). Approximate equations of motion for gases and liquids. *J. Atmos. Sci.*, **26**, 241–254.
- Dyer, A. J. (1963). The adjustment of profiles and eddy fluxes. *Quart. J. Roy. Meteor. Soc.*, **89**, 276–280.
- (1974). A review of flux-profile relations. *Bound.-Layer Meteor.*, **1**, 363–372.
- Ebert, E. E. and J. A. Curry (1992). A parameterization of ice cloud optical properties for climate models. *J. Geophys. Res.*, **97**, 3831–3836.
- (1993). An intermediate one-dimensional thermodynamic sea ice model for investigating ice–atmosphere interactions. *J. Geophys. Res.*, **98**, 10 085–10 109.
- Ebert, E. E., U. Schumann, and R. B. Stull (1989). Nonlocal turbulent mixing in the convective boundary layer evaluated from large-eddy simulation. *J. Atmos. Sci.*, **46**, 2178–2207.
- Edwards, J. M. and A. Slingo (1996). Studies with a flexible new radiation code. I: Choosing a configuration for a large-scale model. *Quart. J. Roy. Meteor. Soc.*, **122**, 689–719.
- Ek, M. B., K. E. Mitchell, Y. Lin, *et al.* (2003). Implementation of Noah land surface model advances in the National Centers for Environmental Prediction operational mesoscale Eta model. *J. Geophys. Res.*, **108**, 8851, doi: 10.1029/2002JD003296.
- Eliassen, A. and E. Palm (1961). On the transfer of energy in stationary mountain waves. *Geophys. Publ.*, **22**, 1–23.
- Ellington, R. G., J. Ellis, and S. Fels (1991). Intercomparison of radiation codes used in climate models: long wave results. *J. Geophys. Res.*, **96**, 8929–8953.
- Elsasser, W. M. and M. F. Culbertson (1960). *Atmospheric Radiation Tables*. *Meteorology Monographs*, No. 4. American Meteorological Society.
- Emanuel, K. A. (1986). An air–sea interaction theory for tropical cyclones. Part I: Steady-state maintenance. *J. Atmos. Sci.*, **43**, 585–605.
- (1991) A scheme for representing cumulus convection in large-scale models. *J. Atmos. Sci.*, **48**, 2313–2335.
- (1994) *Atmospheric Convection*. Oxford University Press.
- Emanuel, K. A. and D. J. Raymond (1993). *The Representation of Cumulus Convection in Numerical Models*, ed. K. A. Emanuel and D. J. Raymond. *Meteorology Monographs*, No. 46. American Meteorological Society.
- Emanuel, K. A. and M. Zivkovic-Rothman (1999). Development and evaluation of a convection scheme for use in climate models. *J. Atmos. Sci.*, **56**, 1766–1782.
- Epstein, E. S. (1969). Stochastic dynamic prediction. *Tellus*, **21**, 739–759.
- Errico, R. and D. P. Baumhefner (1987). Predictability experiments using a high-resolution limited-area model. *Mon. Wea. Rev.*, **115**, 488–504.
- Estoque, M. A. (1968). Vertical mixing due to penetrative convection. *J. Atmos. Sci.*, **25**, 1046–1051.

- Eumas, D. and P. G. Jarvis (1989). The direct effects of increase in the global atmospheric CO₂ concentration on natural and commercial temperate trees and forests. *Adv. Ecol. Res.*, **19**, 1–55.
- Evans, K. F. (1998). The spherical harmonics discrete ordinate method for three-dimensional atmospheric radiative transfer. *J. Atmos. Sci.*, **55**, 429–446.
- Evans, R. E., M. S. J. Harrison, R. J. Graham, and K. R. Mylne (2000). Joint medium-range ensembles from the Met. Office and ECMWF systems. *Mon. Wea. Rev.*, **128**, 3104–3127.
- Evensen, G. (1994). Sequential data assimilation with a nonlinear quasi-geostrophic model using Monte Carlo methods to forecast error statistics. *J. Geophys. Res.*, **99**, 10 143–10 162.
- (1997). Advanced data assimilation for strongly nonlinear dynamics. *Mon. Wea. Rev.*, **125**, 1342–1354.
- Fairall, C. W., J. D. Kepert, and G. J. Holland (1994). The effect of sea spray on surface energy transports over the ocean. *Global Atmos. Ocean Syst.*, **2**, 121–142.
- Fairall, C. W., E. F. Bradley, J. E. Hare, A. A. Grachev, and J. B. Edson (2003). Bulk parameterization of air-sea fluxes: updates and verification for the COARE algorithm. *J. Climate*, **16**, 571–591.
- Fawbush, E. J. and R. C. Miller (1954). The types of air masses in which North American tornadoes form. *Bull. Amer. Meteor. Soc.*, **4**, 154–165.
- Feddema, J. J., K. W. Oleson, G. B. Bonan, et al. (2005a). The importance of land-cover change in simulating future climates. *Science*, **310**, 1674–1678.
- Feddema, J. J., K. W. Oleson, G. B. Bonan, et al. (2005b). A comparison of a GCM response to historical anthropogenic land cover change and model sensitivity to uncertainty in present-day land cover representations. *Clim. Dyn.*, **25**, 581–609.
- Federer, B. and A. Waldvogel (1975). Hail and raindrop size distributions from a Swiss multicell storm. *J. Appl. Meteor.*, **14**, 91–97.
- Ferrier, B. S. (1994). A double-moment multiple-phase four-class bulk ice scheme. Part I: Description. *J. Atmos. Sci.*, **51**, 249–280.
- Ferrier, B. S., W.-K. Tao, and J. Simpson (1995). A double-moment multiple-phase four-class bulk ice scheme. Part II: Simulations of convective storms in different large-scale environments and comparisons with other bulk parameterizations. *J. Atmos. Sci.*, **52**, 1001–1033.
- Fels, S. and M. D. Schwarzkopf (1975). The simplified exchange approximation. A new method for radiative transfer calculations. *J. Atmos. Sci.*, **32**, 1475–1488.
- Fisher, E. L. (1958). Hurricane and the sea surface temperature field. *J. Meteor.*, **15**, 328–333.
- Flerchinger, G. N. and K. E. Saxton (1989). Simultaneous heat and water model of a freezing snow-residue-soil system. I: Theory and development. *Trans. Amer. Soc. Agric. Eng.*, **32**, 565–571.
- Fletcher, N. H. (1962). *The Physics of Rain Clouds*. Cambridge University Press.
- Foukal, P. (1994). Study of solar irradiance variations holds key to climate questions. *Eos*, **75**(33), 377–383.
- Fouquart, Y., B. Bonnel, and V. Ramaswamy (1991). Intercomparing shortwave radiation codes for climate studies. *J. Geophys. Res.*, **96**, 8955–8968.
- Fowler, L. D., D. A. Randall, and S. A. Rutledge (1996). Liquid and ice cloud microphysics in the CSU general circulation model. Part I: Model description and simulated microphysical processes. *J. Climate*, **9**, 489–529.
- Frank, W. M. and C. Cohen (1987). Simulation of tropical convective systems. Part I: A cumulus parameterization. *J. Atmos. Sci.*, **44**, 3787–3799.

- Frank, W. M. and J. Molinari (1993). Convective adjustment. In *The Representation of Cumulus Convection in Numerical Models of the Atmosphere*, ed. K. A. Emanuel and D. J. Raymond. *Meteorology Monographs*, No. 46. American Meteorological Society, pp. 101–106.
- Frey, H., M. Latif, and T. Stockdale (1997). The coupled GCM ECHO-2. Part I: The tropical Pacific. *Mon. Wea. Rev.*, **125**, 703–720.
- Friedl, M. A., D. K. McIver, J. C. F. Hodges, et al. (2002). Global land cover mapping from MODIS: algorithms and early results. *Remote Sens. Environ.*, **83**, 287–302.
- Fritsch, J. M. and C. F. Chappell (1980). Numerical prediction of convectively driven mesoscale pressure systems. Part I: Convective parameterization. *J. Atmos. Sci.*, **37**, 1722–1733.
- Fritsch, J. M. and R. A. Maddox (1981). Convectively driven mesoscale pressure systems aloft. Part I: Observations. *J. Appl. Meteor.*, **20**, 9–19.
- Fritsch, J. M. and R. E. Carbone (2004). Improving quantitative precipitation forecasts in the warm season: A USWRP research and development strategy. *Bull. Amer. Meteor. Soc.*, **85**, 955–965.
- Fritsch, J. M., C. F. Chappell, and L. R. Hoxit (1976). The use of large-scale budgets for convective parameterization. *Mon. Wea. Rev.*, **104**, 1408–1418.
- Fritsch, J. M., J. Hilliker, J. Ross, and R. L. Vislocky (2000). Model consensus. *Wea. Forecasting*, **15**, 571–582.
- Fu, Q. (1996). An accurate parameterization of the solar radiative properties of cirrus clouds for climate models. *J. Climate*, **9**, 2058–2082.
- Fu, Q. and K.-N. Liou (1992). On the correlated- k distribution method for radiative transfer in non-homogeneous atmospheres. *J. Atmos. Sci.*, **49**, 2139–2156.
- Fu, Q., P. Yang, and W. B. Sun (1998). An accurate parameterization of the infrared properties of cirrus clouds for climate models. *J. Climate*, **11**, 2223–2237.
- Gallus, W. A., Jr. (1999). Eta simulations of three extreme precipitation events: sensitivity to resolution and convective parameterization. *Wea. Forecasting*, **14**, 405–426.
- Gallus, W. A., Jr. and R. H. Johnson (1991). Heat and moisture budgets of an intense midlatitude squall line. *J. Atmos. Sci.*, **48**, 122–146.
- Gardiner, M. J. (1982). Use of retrieval and global soils data for global modeling. In *Land Surface Processes in Atmospheric General Circulation Models*, ed. P. S. Eagleson. Cambridge University Press.
- Garratt, J. R. (1992). *The Atmospheric Boundary Layer*. Cambridge University Press.
- Garratt, J. R. and B. B. Hicks (1973). Momentum, heat and water vapour transfer to and from natural and artificial surfaces. *Quart. J. Roy. Meteor. Soc.*, **99**, 680–687.
- (1990). Micrometeorological and PBL experiments in Australia. *Bound.-Layer Meteor.*, **50**, 11–29.
- Garvert, M. F., C. P. Woods, B. A. Colle, et al. (2005). The 13–14 December 2001 IMPROVE-2 event. Part II: Comparisons of MM5 model simulations of clouds and precipitation with observations. *J. Atmos. Sci.*, **62**, 3520–3534.
- Gates, L. W., J. S. Boyle, C. Covey, et al. (1999). An overview of the results of the atmospheric model intercomparison project (AMIP I). *Bull. Amer. Meteor. Soc.*, **80**, 229–255.
- Gauthier, P., C. Charette, L. Fillion, P. Koclas, and S. Laroche (1999). Implementation of a 3D variational data assimilation system at the Canadian Meteorological Centre. Part I: The global analysis. *Atmos.-Ocean*, **37**, 103–156.

- Gedney, N. and P. M. Cox (2003). The sensitivity of global climate model simulations to the representation of soil moisture heterogeneity. *J. Hydrometeor.*, **4**, 1265–1275.
- Geleyn, J. P. and A. Hollingsworth (1979). An economical analytical method for the computation of the interaction between scattering and line absorption of radiation. *Contrib. Atmos. Phys.*, **52**, 1–16.
- Georgelin, M. and F. Lott (2001). On the transfer of momentum by trapped lee waves: case of the IOP3 of PYREX. *J. Atmos. Sci.*, **58**, 3563–3580.
- GEWEX Cloud System Science Team (1993). The GEWEX cloud system study (GCSS). *Bull. Amer. Meteor. Soc.*, **74**, 387–399.
- Gill, A. E. (1982). *Atmosphere–Ocean Dynamics*. Academic Press.
- Gilmore, M. S., J. M. Straka, and E. N. Rasmussen (2004a). Precipitation uncertainty due to variations in precipitation particle parameters within a simple microphysics scheme. *Mon. Wea. Rev.*, **132**, 2610–2627.
- (2004b). Precipitation and evolution sensitivity in simulated deep convective storms: comparisons between liquid-only and simple ice and liquid phase microphysics. *Mon. Wea. Rev.*, **132**, 1897–1916.
- Giorgi, F., M. R. Marinucci, G. T. Bates, and G. De Canio (1993). Development of a second-generation regional climate model (RegCM2). Part II: Convective processes and assimilation of lateral boundary conditions. *Mon. Wea. Rev.*, **121**, 2814–2832.
- Glahn, H. R. and D. A. Lowry (1972). The use of model output statistics (MOS) in objective weather forecasting. *J. Appl. Meteor.*, **11**, 1203–1211.
- Godfrey, C. M., D. J. Stensrud, and L. M. Leslie (2005). The influence of improved land surface and soil data to mesoscale model predictions. Preprints. In *19th Conf. on Hydrology*, San Diego, CA, Paper 4.7. American Meteorological Society.
- Godson, W. L. (1954). Spectral models and the properties of transmission functions. In *Proc. Toronto Meteor. Conf., 1953*. Royal Meteorological Society, pp. 35–42.
- Goldman, A. and T. G. Kyle (1968). A comparison between statistical model and line calculation with application to the 9.6 μm ozone and the 2.7 μm water vapor bands. *Appl. Opt.*, **7**, 1167–1177.
- Goody, R. M. (1964). *Atmospheric Radiation I: Theoretical Basis*. Clarendon Press.
- Goody, R. M. and Y. L. Yung (1995). *Atmospheric Radiation: Theoretical Basis*. Oxford University Press.
- Grabowski, W. W. (2001). Coupling cloud processes with the large-scale dynamics using cloud-resolving convection parameterization (CRCP). *J. Atmos. Sci.*, **58**, 978–997.
- Grabowski, W. W. and P. K. Smolarkiewicz (1999). CRCP: a cloud resolving convection parameterization for modeling the tropical convective atmosphere. *Physica D*, **133**, 171–178.
- Grabowski, W. W., P. Bechtold, A. Cheng, et al. (2006). Daytime convective development over land: a model intercomparison based on LBA observations. *Quart. J. Roy. Meteor. Soc.*, **132**, 317–344.
- Gregory, D. and P. R. Rowntree (1990). A mass flux convection scheme with representation of cloud ensemble characteristics and stability-dependent closure. *Mon. Wea. Rev.*, **118**, 1483–1506.
- Gregory, D., R. Kershaw, and P. M. Inness (1997). Parametrization of momentum transport by convection. II: Tests in single-column and general circulation models. *Quart. J. Roy. Meteor. Soc.*, **123**, 1153–1183.

- Gregory, D., J.-J. Morcrette, C. Jakob, A. C. M. Beljaars, and T. Stockdale (2000). Revision of convection, radiation, and cloud schemes in the ECMWF Integrated Forecasting System. *Quart. J. Roy. Meteor. Soc.*, **126**, 1685–1710.
- Grell, G. and D. Devenyi (2002). A generalized approach to parameterizing convection combining ensemble and data assimilation techniques. *Geophys. Res. Lett.*, **29**, doi: 10.1029/2002GL015311.
- Grell, G., Y.-H. Kuo, and R. J. Pasch (1991). Semiprognostic tests of three cumulus parameterization schemes in middle latitudes. *Mon. Wea. Rev.*, **119**, 5–31.
- Grubisic, V. and M. W. Moncrieff (2000). Parameterization of convective momentum transport in highly baroclinic conditions. *J. Atmos. Sci.*, **57**, 3035–3049.
- Gu, Y. and K. N. Liou (2000). Interactions of radiation, microphysics, and turbulence in the evolution of cirrus clouds. *J. Atmos. Sci.*, **57**, 2463–2479.
- Guichard, F., D. B. Parsons, J. Dudhia, and J. Bresch (2003). Evaluating mesoscale model predictions of clouds and radiation with SGP ARM data over a seasonal timescale. *Mon. Wea. Rev.*, **131**, 926–944.
- Gunn, R. and G. D. Kinzer (1949). The terminal velocity of fall for water drops in stagnant air. *J. Meteor.*, **6**, 243–248.
- Gutman, G. and A. Ignatov (1998). The derivation of the green vegetation fraction from NOAA/AVHRR data for use in numerical weather prediction models. *Int. J. Remote Sens.*, **19**, 1533–1543.
- Hagedorn, R., F. J. Doblas-Reyes, and T. N. Palmer (2005). The rationale behind the success of multi-model ensembles in seasonal forecasting – I. Basic concept. *Tellus*, **57A**, 219–233.
- Hallett, J. and S. C. Mossop (1974). Production of secondary ice particles during the riming process. *Nature*, **249**, 26–28.
- Halthore, R. N., S. Nemesure, S. E. Schwartz, et al. (1998). Models overestimate diffuse clear-sky irradiance: a case for excess atmospheric absorption. *Geophys. Res. Lett.*, **25**, 3591–3594.
- Haltiner, G. J. and R. T. Williams (1980). *Numerical Prediction and Dynamic Meteorology*. John Wiley and Sons.
- Hamill, T. M., J. S. Whitaker, and X. Wei (2004). Ensemble reforecasting: improving medium-range forecast skill using retrospective forecasts. *Mon. Wea. Rev.*, **132**, 1434–1447.
- Hamill, T. M., J. S. Whitaker, and S. L. Mullen (2006). Reforecasts: an important dataset for improving weather predictions. *Bull. Amer. Meteor. Soc.*, **86**, 33–46.
- Han, J. and H.-L. Pan (2006). Sensitivity of hurricane intensity to convective momentum transport parameterization. *Mon. Wea. Rev.*, **134**, 664–674.
- Hanks, R. J. and G. L. Ashcroft (1986). *Applied Soil Physics*. Springer-Verlag.
- Hansen, M. C., R. S. DeFries, J. R. G. Townshend, and R. Sohlberg (2000). Global land cover classification at 1 km spatial resolution using a classification tree approach. *Int. J. Remote Sens.*, **21**, 1331–1364.
- Harrison, M. S. J., T. N. Palmer, D. S. Richardson, and R. Buizza (1999). Analysis and model dependencies in medium-range ensembles: two transplant case studies. *Quart. J. Roy. Meteor. Soc.*, **125**, 2487–2515.
- Harshvardhan and J. Weinman (1982). Infrared radiative transfer through a regular array of cuboidal clouds. *J. Atmos. Sci.*, **39**, 431–439.
- Harshvardhan, R. Davies, D. A. Randall, and T. G. Corsetti (1987). A fast radiation parameterization for atmospheric circulation models. *J. Geophys. Res.*, **92**, 1009–1015.

- Hart, K. A., W. J. Steenburgh, D. J. Onton, and A. J. Siffert (2004). An evaluation of mesoscale-model-based model output statistics (MOS) during the 2002 Olympic and Paralympic winter games. *Wea. Forecasting*, **19**, 200–218.
- Hastenrath, S. L. (1966). The flux of atmospheric water vapor over the Caribbean Sea and the Gulf of Mexico. *J. Appl. Meteor.*, **5**, 778–788.
- Heath, D. F., A. J. Krueger, A. J. Roder, and B. D. Henderson (1975). The solar scatter ultraviolet and total ozone mapping spectrometer (SBUV/TOMS) for Nimbus G. *Opt. Eng.*, **14**, 323–331.
- Heidt, F. D. (1977). The growth of the mixed layer in a stratified fluid due to penetrative convection. *Bound.-Layer Meteor.*, **12**, 439–461.
- Henderson-Sellers, A., Z.-L. Yang, and R. E. Dickinson (1993). The project for intercomparison of land–surface parameterization schemes. *Bull. Amer. Meteor. Soc.*, **74**, 1335–1350.
- Henderson-Sellers, A., K. McGuffie, and C. Gross (1995). Sensitivity of global climate model simulations to increased stomatal resistance and CO₂ increases. *J. Climate*, **8**, 1738–1756.
- Henry, W. K. and A. H. Thompson (1976). An example of polar air modification over the Gulf of Mexico. *Mon. Wea. Rev.*, **104**, 1324–1327.
- Higgins, P. A. T. and M. Vellinga (2004). Ecosystem responses to abrupt climate change: teleconnections, scale and the hydrological cycle. *Climatic Change*, **64**, 127–142.
- Hinkelman, L. M., T. P. Ackerman, and R. T. Marchand (1999). An evaluation of NCEP Eta model predictions of surface energy budget and cloud properties by comparison with measured ARM data. *J. Geophys. Res.*, **104**, 19 535–19 549.
- Hobbs, P. V. (1987). The Gulf Stream rainband. *Geophys. Res. Lett.*, **14**, 1142–1145.
- Hobbs, P. V. and A. L. Rangno (1985). Ice particle concentrations in clouds. *J. Atmos. Sci.*, **42**, 2523–2549.
- Hocking, L. M. (1959). The collision efficiency of small drops. *Quart. J. Roy. Meteor. Soc.*, **85**, 44–50.
- Hocking, L. M. and P. R. Jonas (1970). The collision efficiency of small drops. *Quart. J. Roy. Meteor. Soc.*, **96**, 722–729.
- Hodur, R. M. (1997). The Naval Research Laboratory's coupled ocean/atmosphere mesoscale prediction system (COAMPS). *Mon. Wea. Rev.*, **125**, 1414–1430.
- Holt, T. R. and S. Raman (1992). Three-dimensional mean and turbulence structure of a coastal front influenced by the Gulf Stream. *Mon. Wea. Rev.*, **120**, 17–39.
- Holtslag, A. A. and A. C. M. Beljaars (1989). Surface flux parameterization schemes, developments and experiences at KNMI. In *Parameterizations of Fluxes over Land Surface, ECMWF Workshop Proceedings*, October 1988, Reading, UK, pp. 121–147.
- Holtslag, A. A. and C.-H. Moeng (1991). Eddy diffusivity and countergradient transport in the convective atmospheric boundary layer. *J. Atmos. Sci.*, **48**, 1690–1698.
- Holtslag, A. A. and B. A. Boville (1993). Local versus nonlocal boundary layer diffusion in a global climate model. *J. Climate*, **6**, 1825–1842.
- Holtslag, A. A., I. F. Bruijn, and H.-L. Pan (1990). A high resolution air mass transformation model for short-range weather forecasting. *Mon. Wea. Rev.*, **118**, 1561–1575.
- Homar, V., R. Romero, D. J. Stensrud, C. Ramis, and S. Alonso (2003). Numerical diagnosis of a small, quasi-tropical cyclone over the western Mediterranean: dynamical vs. boundary factors. *Quart. J. Royal Meteor. Soc.*, **129**, 1469–1490.

- Homar, V., D. J. Stensrud, J. J. Levit, and D. R. Bright (2006). Value of human-generated perturbations in short-range ensemble forecasts of severe weather. *Wea. Forecasting*, **21**, 347–363.
- Homleid, M. (1995). Diurnal corrections of short-term temperature forecasts using the Kalman filter. *Wea. Forecasting*, **10**, 689–707.
- Hong, S.-Y. and H.-L. Pan (1996). Nonlocal boundary layer vertical diffusion in a medium-range forecast model. *Mon. Wea. Rev.*, **124**, 2322–2339.
- Hong, X., S. W. Chang, S. Raman, L. K. Shay, and R. Hodur (2000). The interaction between Hurricane Opal (1995) and a warm core ring in the Gulf of Mexico. *Mon. Wea. Rev.*, **128**, 1347–1365.
- Hopwood, W. P. (1995). Surface transfer of heat and momentum over an inhomogeneous vegetated land. *Quart. J. Roy. Meteor. Soc.*, **121**, 1549–1574.
- Hou, D., E. Kalnay, and K. Drogemeier (2001). Objective verification of the SAMEX98 ensemble forecasts. *Mon. Wea. Rev.*, **129**, 73–91.
- Houser, P. R. (2003). Infiltration and soil moisture processes, ch. 27. In *Handbook of Weather, Climate, and Water: Atmospheric Chemistry, Hydrology, and Societal Impacts*, ed. T. D. Potter and B. R. Colman. John Wiley and Sons, Inc., pp. 493–506.
- Houtekamer, P. L. (1995). The construction of optimal perturbations. *Mon. Wea. Rev.*, **123**, 2888–2898.
- Houtekamer, P. L. and L. Lefavre (1997). Using ensemble forecasts for model verification. *Mon. Wea. Rev.*, **125**, 2416–2426.
- Houtekamer, P. L. and H. L. Mitchell (2001). A sequential ensemble Kalman filter for atmospheric data assimilation. *Mon. Wea. Rev.*, **129**, 123–137.
- Houtekamer, P. L., L. Lefavre, J. Derome, H. Ritchie, and H. L. Mitchell (1996). A system simulation approach to ensemble prediction. *Mon. Wea. Rev.*, **124**, 1225–1242.
- Houze, R. A., Jr. (1982). Cloud clusters and large-scale vertical motions in the tropics. *J. Meteor. Soc. Japan*, **60**, 396–410.
- (1993). *Cloud Dynamics*. Academic Press.
- (1997). Stratiform precipitation in regions of convection: a meteorological paradox? *Bull. Amer. Meteor. Soc.*, **78**, 2179–2196.
- Hoxit, L. R. (1975). Diurnal variations in planetary boundary-layer winds over land. *Bound.-Layer Meteor.*, **8**, 21–38.
- Hunke, E. C. and J. K. Dukowicz (1997). An elastic-viscous-plastic model for sea ice dynamics. *J. Phys. Oceanogr.*, **27**, 1849–1867.
- Huete, A. R., H. Q. Liu, K. Batchily, and W. van Leeuwen (1996). A comparison of vegetation indices over a global set of TM images for EOS-MODIS. *Remote Sens. Environ.*, **59**, 440–451.
- Iacobellis, S. F. and R. C. J. Somerville (2000). Implications for microphysics for cloud–radiation parameterizations: lessons from TOGA COARE. *J. Atmos. Sci.*, **57**, 161–183.
- Ineson, S. and M. K. Davey (1997). Interannual climate simulation and predictability in a coupled TOGA GCM. *Mon. Wea. Rev.*, **125**, 721–741.
- Iwasaki, T., S. Yamada, and K. Tada (1989). A parameterization scheme of orographic gravity-wave drag with two different vertical partitionings. Part I: Impacts on medium-range forecasts. *J. Meteor. Soc. Japan*, **67**, 11–27.
- Jacks, E., J. B. Bower, V. J. Dagostaro, et al. (1990). New NGM-based MOS guidance for maximum/minimum temperature, probability of precipitation, cloud amount, and surface wind. *Wea. Forecasting*, **5**, 128–138.

- Jacquemin, B. and J. Noilhan (1990). Sensitivity study and validation of a land surface parameterization using the HAPEX-MOBILHY data set. *Bound.-Layer Meteor.*, **52**, 93–134.
- Jang, K.-I., X. Zou, M. S. F. V. De Pondeca, et al. (2003). Incorporating TOMS ozone measurements into the prediction of the Washington, D.C., winter storm during 24–25 January 2000. *J. Appl. Meteor.*, **42**, 797–812.
- Janjic, Z. I. (1994). The step-mountain Eta coordinate model: further developments of the convection, viscous sublayer, and turbulence closure schemes. *Mon. Wea. Rev.*, **122**, 927–945.
- Jarvis, P. G. (1976). The interpretation of the variations in leaf water potential and stomatal conductance found in canopies in the field. *Philos. Trans. Roy. Soc. London B*, **273**, 593–610.
- Johansen, O. (1975). Thermal conductivity of soils. Ph.D. Thesis, University of Trondheim. (Available from Universitetsbiblioteket I Trondheim, Høgskoleringen 1, 7034 Trondheim, Norway.)
- Johns, R. H. and C. A. Doswell III (1992). Severe local storms forecasting. *Wea. Forecasting*, **7**, 588–612.
- Johnson, D. E., P. K. Wang, and J. M. Straka (1993). Numerical simulations of the 2 August 1981 CCOPE supercell storm with and without ice microphysics. *J. Appl. Meteor.*, **32**, 745–759.
- Johnson, R. H. (1984). Partitioning tropical heat and moisture budgets into cumulus and mesoscale components: implications for cumulus parameterization. *Mon. Wea. Rev.*, **112**, 1590–1601.
- Johnson, R. H. and G. S. Young (1983). Heat and moisture budgets of tropical mesoscale anvil clouds. *J. Atmos. Sci.*, **40**, 2138–2147.
- Johnson, R. H., T. M. Rickenbach, S. A. Rutledge, P. E. Ciesielski, and W. H. Schubert (1999). Trimodal characteristics of tropical convection. *J. Climate*, **12**, 2397–2418.
- Jordon, C. L. (1964). On the influence of tropical cyclones on the sea surface temperature field. In *Proc. Symp. Tropical Meteorology*, Rotorua, New Zealand, November 1963. New Zealand Meteorological Service, pp. 614–622.
- Joseph, J. H., W. J. Wiscombe, and J. A. Weinman (1976). The delta-Eddington approximation for radiative flux transfer. *J. Atmos. Sci.*, **33**, 2452–2459.
- Juang, H.-M. H., C.-T. Lee, Y. Zhang, et al. (2005). Applying horizontal diffusion on pressure surface to mesoscale models on terrain-following coordinates. *Mon. Wea. Rev.*, **133**, 1384–1402.
- Kaimal, J. C. and J. C. Wyngaard (1990). The Kansas and Minnesota experiments. *Bound.-Layer Meteor.*, **50**, 31–47.
- Kaimal, J. C. and J. J. Finnigan (1994). *Atmospheric Boundary Layer Flows*. Oxford University Press.
- Kain, J. S. (2004). The Kain–Fritsch convective parameterization: an update. *J. Appl. Meteor.*, **43**, 170–181.
- Kain, J. S. and J. M. Fritsch (1990). A one-dimensional entraining/detraining plume model and its application in convective parameterization. *J. Atmos. Sci.*, **47**, 2784–2802.
- (1992). The role of the convective “trigger function” in numerical forecasts of mesoscale convective systems. *Meteor. Atmos. Phys.*, **49**, 93–106.
- (1993). Convective parameterization for mesoscale models: the Kain–Fritsch scheme. In *The Representation of Cumulus Convection in Numerical Models of the*

- Atmosphere*, ed. K. A. Emanuel and D. J. Raymond. *Meteorology Monographs*, No. 46. American Meteorological Society, pp. 165–170.
- Kain, J. S., M. E. Baldwin, and S. J. Weiss (2003). Parameterized updraft mass flux as a predictor of convective intensity. *Wea. Forecasting*, **18**, 106–116.
- Kalnay, E. (2003). *Atmospheric Modeling, Data Assimilation and Predictability*. Cambridge University Press.
- Kanamitsu, M., A. Kumar, H.-M. H. Juang, et al. (2002). NCEP dynamical seasonal forecast system 2000. *Bull. Amer. Meteor. Soc.*, **83**, 1019–1037.
- Katz, R. W. and A. H. Murphy (1997). *Economic Value of Weather and Climate Forecasts*. Cambridge University Press.
- Kaufman, Y. J. and T. Nakajima (1993). Effect of Amazon smoke on cloud microphysics and albedo – analysis from satellite imagery. *J. Appl. Meteor.*, **32**, 729–744.
- Kershaw, R. (1995). Parametrization of momentum transport by convectively generated gravity waves. *Quart. J. Roy. Meteor. Soc.*, **121**, 1023–1040.
- Kershaw, R. and D. Gregory (1997). Parametrization of momentum transport by convection. I: Theory and cloud modeling results. *Quart. J. Roy. Meteor. Soc.*, **123**, 1133–1151.
- Kessler, E. (1969). *On the Distribution and Continuity of Water Substance in Atmospheric Circulations*. *Meteorology Monographs*, No. 32. American Meteorological Society.
- Keyser, D. (1986). Atmospheric fronts: an observational perspective. In *Mesoscale Meteorology and Forecasting*, ed. P. S. Ray. American Meteorological Society, pp. 216–258.
- Keyser, D. and D. R. Johnson (1984). Effects of diabatic heating on the ageostrophic circulation of an upper tropospheric jet streak. *Mon. Wea. Rev.*, **112**, 1709–1724.
- Kiehl, J. T. and P. R. Gent (2004). The Community Climate System Model, Version Two. *J. Clim.*, **17**, 3666–3682.
- Kiehl, J. T., J. J. Hack, G. B. Bonan, et al. (1996). Description of the NCAR community climate model. NCAR Tech. Note NCAR/TN-420+STR.
- Kim, J. and S. Verma (1991). Modeling canopy photosynthesis: scaling up from a leaf to canopy in a temperate grassland ecosystem. *Agric. For. Meteor.*, **57**, 187–208.
- Kim, Y.-J. and A. Arakawa (1995). Improvement of orographic gravity wave parameterization using a mesoscale gravity wave model. *J. Atmos. Sci.*, **52**, 1875–1902.
- Kim, Y.-J. and J. D. Doyle (2005). Extension of an orographic-drag parametrization scheme to incorporate orographic anisotropy and flow blocking. *Quart. J. Roy. Meteor. Soc.*, **131**, 1893–1921.
- Kim, Y.-J., S. D. Eckermann, and H.-Y. Chun (2003). An overview of the past, present and future of gravity-wave drag parametrization for numerical climate and weather prediction models. *Atmos.-Ocean*, **41**, 65–98.
- King, M. D., Y. J. Kaufman, D. Tanre, and T. Nakajima (1999). Remote sensing of tropospheric aerosols from space: past, present, and future. *Bull. Amer. Meteor. Soc.*, **80**, 2229–2259.
- Kinzer, G. D. and R. Gunn (1951). The evaporation, temperature and thermal relaxation-time of freely falling waterdrops. *J. Atmos. Sci.*, **8**, 71–83.
- Klazura, G. E. (1971). Measurements of precipitation particles in warm cumuli over southeast Texas. *J. Appl. Meteor.*, **10**, 739–750.
- Knight, C. A. and N. C. Knight (2005). Very large hailstones from Aurora, Nebraska. *Bull. Amer. Meteor. Soc.*, **86**, 1773–1781.

- Knight, C. A., Cooper, W. A., Breed, D. W., et al. (1982). Microphysics. In *Hailstorms of the Central High Plains*, vol. 1, ed. C. Knight and P. Squires. Colorado Associated University Press, pp. 151–193.
- Koch, S. E. (1984). The role of an apparent mesoscale frontogenetic circulation in squall line initiation. *Mon. Wea. Rev.*, **112**, 2090–2111.
- Koenig, L. R. (1971). Numerical modeling of ice deposition. *J. Atmos. Sci.*, **28**, 226–237.
- Kogan, Y. L. (1991). The simulation of a convective cloud in a 3D model with explicit microphysics. Part I: Model description and sensitivity experiments. *J. Atmos. Sci.*, **48**, 1160–1189.
- Koren, V., J. Schaake, K. Mitchell, et al. (1999). A parameterization for snowpack and frozen ground intended for NCEP weather and climate models. *J. Geophys. Res.*, **104**, 19 569–19 585.
- Koster, R. D. and M. J. Suarez (1996). Energy and water balance calculations in the Mosaic LSM. NASA Tech. Memo., 104606, 9.
- (2001). Soil moisture memory in climate models. *J. Hydrometeor.*, **2**, 558–570.
- Kraus, E. B. and J. A. Businger (1994). *Atmosphere–Ocean Interaction*. Oxford University Press.
- Krinner, G., N. Viovy, N. de Noblet-Ducoudré, et al. (2005). A dynamic global vegetation model for studies of the coupled atmosphere–biosphere system. *Global Biogeochem. Cycles*, **19**, GB1015. doi: 10.1029/2003GB002199.
- Krishnamurti, T. N., M. Kanamitsu, R. Godbole, et al. (1976). Study of a monsoon depression (ii), dynamic structure. *J. Meteor. Soc. Japan*, **54**, 208–225.
- Krishnamurti, T. N., C. M. Kishtawal, D. W. Shin, and C. Eric Williford (2000). Improving tropical precipitation forecasts from a multianalysis superensemble. *J. Climate*, **13**, 4217–4227.
- Kubota, A. and M. Sugita (1994). Radiometrically determined skin temperature and scalar roughness to estimate surface heat flux. Part I: Parameterization of radiometric scalar roughness. *Bound.-Layer Meteor.*, **69**, 397–416.
- Kuettner, J. P. (1959). Cloud bands in the Earth's atmosphere: observations and theory. *Tellus*, **11**, 267–294.
- Kuo, H.-L. (1965). On the formation and intensification of tropical cyclones through latent heat release by cumulus convection. *J. Atmos. Sci.*, **22**, 40–63.
- Kurkowski, N. P., D. J. Stensrud, and M. E. Baldwin (2003). Assessment of implementing satellite-derived land cover data in the Eta model. *Wea. Forecasting*, **18**, 404–416.
- Kutchment, L. S., V. N. Demidov, and Y. G. Motovilov (1983). *River Runoff Generation*. Russian Academy of Science, Moscow (in Russian).
- Lacis, A. A. and J. E. Hansen (1974). A parameterization for the absorption of solar radiation in the Earth's atmosphere. *J. Atmos. Sci.*, **31**, 118–133.
- Lacis, A. A. and V. Oinas (1991). A description of the correlated k distribution method for modeling nongray gaseous absorption, thermal emission, and multiple scattering in vertically inhomogeneous atmospheres. *J. Geophys. Res.*, **96**, 9027–9063.
- Laing, A. G. and J. M. Fritsch (1997). The global population of mesoscale convective complexes. *Quart. J. Roy. Meteor. Soc.*, **123**, 389–406.
- Lakhtakia, M. N. and T. T. Warner (1987). A real-data numerical study of the development of precipitation along the edge of an elevated mixed layer. *Mon. Wea. Rev.*, **115**, 156–168.

- Lamb, D. (2001). Rain production in convective storms. In *Severe Convective Storms*, ed. C. A. Doswell III. *Meteorology Monographs*, No. 50. American Meteorological Society, pp. 299–321.
- Lamb, P. J. (1978a). Case studies of tropical Atlantic surface circulation patterns during recent sub-Saharan weather anomalies: 1967 and 1968. *Mon. Wea. Rev.*, **106**, 481–491.
- (1978b). Large-scale tropical Atlantic surface circulation patterns associated with Subsaharan weather anomalies. *Tellus*, **30A**, 198–212.
- Lamb, P. J. and R. A. Peppler (1992). Further case studies of tropical Atlantic surface atmospheric and oceanic patterns associated with sub-Saharan drought. *J. Climate*, **5**, 476–488.
- Langmuir, I. (1948). The production of rain by chain-reaction in cumulus clouds at temperatures above freezing. *J. Meteor.*, **5**, 175–192.
- Lanicci, J. M. and T. T. Warner (1991). A synoptic climatology of elevated mixed-layer inversion over the southern Great Plains in spring. Part I: Structure, dynamics, and seasonal evolution. *Wea. Forecasting*, **6**, 181–197.
- Lanicci, J. M., T. N. Carlson, and T. T. Warner (1987). Sensitivity of the Great Plains severe-storm environment to soil-moisture distribution. *Mon. Wea. Rev.*, **115**, 2660–2673.
- Lauder, B. E., G. J. Reece, and W. Rodi (1975). Progress in the development of a Reynolds-stress turbulence closure. *J. Fluid Mech.*, **68**, 537–566.
- Lee, B. D. and R. B. Wilhelmson (1997). The numerical simulation of nonsupercell tornadogenesis. Part II: Evolution of a family of tornadoes along a weak outflow boundary. *J. Atmos. Sci.*, **54**, 2387–2415.
- Lee, T. J. and R. A. Pielke (1992). Estimating the soil surface specific humidity. *J. Appl. Meteor.*, **31**, 480–484.
- Leftwich Jr., P. W., J. T. Schaefer, S. J. Weiss, and M. Kay (1998). Severe convective storm probabilities for local areas in watches issued by the storm prediction center. Preprints. In *19th Conf. Severe Local Storms*, Minneapolis, MN. American Meteorological Society, pp. 548–551.
- Leipper, D. (1967). Observed ocean conditions and Hurricane Hilda, 1964. *J. Atmos. Sci.*, **24**, 182–196.
- Leith, C. E. (1974). Theoretical skill of Monte Carlo forecasts. *Mon. Wea. Rev.*, **102**, 409–418.
- Leslie, L. M. and M. S. Speer (2000). Comments on “Using ensembles for short-range forecasting.” *Mon. Wea. Rev.*, **128**, 3018–3020.
- Le Treut, H. and Z.-X. Li (1991). Sensitivity of an atmospheric general circulation model to prescribed SST changes: feedback effects associated with the simulation of cloud optical properties. *Climate Dyn.*, **5**, 175–187.
- Leuning, R., F. M. Kelliher, D. G. G. Pury, and E.-D. Schulze (1995). Leaf nitrogen, photosynthesis, conductance and transpiration: scaling from leaves to canopy. *Plant Cell Environ.*, **18**, 1183–1200.
- Levitt, J. (1974). *Introduction to Plant Physiology*. C. V. Mosby Co.
- Lewis, J. M. (2005). Roots of ensemble forecasting. *Mon. Wea. Rev.*, **133**, 1865–1885.
- Liang, X., E. F. Wood, and D. P. Lettenmaier (1996). Surface soil parameterization of the VIC-2L model: evaluation and modification. *Global Planet. Change*, **13**, 195–206.
- Liang, X., D. P. Lettenmaier, E. F. Wood, and S. J. Burges (1994). A simple hydrologically based model of land surface water and energy fluxes for GCM. *J. Geophys. Res.*, **99**, 14415–14428.

- Lilly, D. K. (1968). Models of cloud-topped mixed layers under a strong inversion. *Quart. J. Roy. Meteor. Soc.*, **94**, 292–309.
- (1972). Wave momentum flux – a GARP problem. *Bull. Amer. Meteor. Soc.*, **53**, 17–23.
- (1988). Cirrus outflow dynamics. *J. Atmos. Sci.*, **45**, 1594–1605.
- Lilly, D. K. and P. J. Kennedy (1973). Observations of a stationary mountain wave and its associated momentum flux and energy dissipation. *J. Atmos. Sci.*, **30**, 1135–1152.
- Lin, Y.-L., R. D. Farley, and H. D. Orville (1983). Bulk parameterization of the snow field in a cloud model. *J. Climate Appl. Meteor.*, **22**, 1065–1092.
- Lindstrom, S. S. and T. E. Nordeng (1992). Parameterized slantwise convection in a numerical model. *Mon. Wea. Rev.*, **120**, 742–756.
- Lindzen, R. S. (1981). Turbulence and stress due to gravity wave and tidal breakdown. *J. Geophys. Res.*, **86**, 9707–9714.
- (1984). Gravity waves in the middle atmosphere. In *Dynamics of the Middle Atmosphere*, ed. J. R. Holton and T. Matsuno. Terra, pp. 3–18.
- Liou, K.-N. (1980). *An Introduction to Atmospheric Radiation*. Academic Press.
- (1986). Influence of cirrus clouds on weather and climate processes: a global perspective. *Mon. Wea. Rev.*, **114**, 1167–1199.
- Liou, K.-N. and G. D. Wittman (1979). Parameterization of radiative properties of clouds. *J. Atmos. Sci.*, **7**, 1261–1273.
- Liu, H.-C., P. K. Wang, and R. E. Schlesinger (2003). A numerical study of cirrus clouds. Part II: Effects of ambient temperature, stability, radiation, ice microphysics, and microdynamics on cirrus evolution. *J. Atmos. Sci.*, **60**, 1097–1119.
- Liu, J. Y. and H. D. Orville (1969). Numerical modeling of precipitation and cloud shadow effects on mountain-induced cumuli. *J. Atmos. Sci.*, **26**, 1283–1298.
- Liu, Q., J. M. Lewis, and J. M. Schneider (1992). A study of cold-air modification over the Gulf of Mexico using in situ data and mixed-layer modeling. *J. Appl. Meteor.*, **31**, 909–924.
- Liu, Q. and J. Schmetz (1988). On the problem of an analytical solution to the diffusivity factor. *Beitr. Phys. Atmos.*, **61**, 23–29.
- Liu, W. T., K. B. Katsaros, and J. A. Businger (1979). Bulk parameterization of the air-sea exchange of heat and water vapor including the molecular constraints at the surface. *J. Atmos. Sci.*, **36**, 1722–1735.
- Lobocki, L. (1993). A procedure for the derivation of surface-layer bulk relationships from simplified second order closure models. *J. Appl. Meteor.*, **32**, 126–138.
- Lohmann, U., N. McFarlane, L. Levkov, K. Abdella, and F. Albers (1999). Comparing different cloud schemes of a single column model by using mesoscale forcing and nudging technique. *J. Climate*, **12**, 438–461.
- London, J., R. D. Bojkov, S. Oltmans, and J. I. Kelley (1976). Atlas of the global distribution of total ozone, July 1957–June 1967. NCAR Tech. Note 113+STR.
- Lord, S. J., W. C. Chao, and A. Arakawa (1982). Interactions of a cumulus cloud ensemble with the large-scale environment. Part IV: The discrete model. *J. Atmos. Sci.*, **39**, 104–113.
- Lorenc, A. C., S. P. Ballard, R. S. Bell, et al. (2000). The Met. Office global three-dimensional variational data assimilation scheme. *Quart. J. Roy. Meteor. Soc.*, **126**, 2991–3012.
- Lorenz, E. N. (1963). Deterministic nonperiodic flow. *J. Atmos. Sci.*, **20**, 130–141.
- (1969). The predictability of a flow which possesses many scales of motion. *Tellus*, **21**, 289–307.

- Lott, F. and M. J. Miller (1997). A new subgrid-scale orographic drag parameterization: its formulation and testing. *Quart. J. Roy. Meteor. Soc.*, **123**, 101–127.
- Louis, J. F. (1979). A parametric model of vertical eddy fluxes in the atmosphere. *Bound.-Layer Meteor.*, **17**, 187–202.
- Louis, J. F., M. Tiedtke, and J. F. Geleyn (1982). A short history of the operational PBL – parameterization of ECMWF. In *Workshop on Planetary Boundary Layer Parameterization*, European Centre for Medium Range Weather Forecasting, Shinfield Park, Reading.
- Loveland, T. R., J. W. Merchant, J. F. Brown, *et al.* (1995). Seasonal land-cover regions of the United States. *Ann. Assoc. Amer. Geographers*, **85**, 339–355.
- Loveland, T. R., B. C. Reed, J. F. Brown, *et al.* (2000). Development of a global land cover characteristics database and IGBP DISCover from 1 km AVHRR data. *Int. J. Remote Sens.*, **21**, 1303–1365.
- Lumley, J. L. and B. Khajeh-Nouri (1974). Computational modeling of turbulent transport. *Adv. Geophys.*, **18A**, 169–192.
- Luo, H. and M. Yanai (1984). The large-scale circulation and heat sources over the Tibetan plateau and surrounding areas during the early summer of 1979. Part II: Heat and moisture budgets. *Mon. Wea. Rev.*, **112**, 966–989.
- Luo, L., A. Robock, K. Y. Vinnikov, *et al.* (2003). Effects of frozen soil on soil temperature, spring infiltration, and runoff: results from the PILPS 2(d) experiment at Valdai, Russia. *J. Hydrometeor.*, **4**, 334–351.
- Lynn, B. H., A. P. Khain, J. Dudhia, *et al.* (2005). Spectral (bin) microphysics coupled with a mesoscale model (MM5). Part I: Model description and first results. *Mon. Wea. Rev.*, **133**, 44–58.
- Maddox, R. A. (1980). Mesoscale convective complexes. *Bull. Amer. Meteor. Soc.*, **61**, 1374–1387.
- Mahfouf, J.-F. (1991). Analysis of soil moisture from near-surface parameters: a feasibility study. *J. Appl. Meteor.*, **30**, 1534–1547.
- Mahfouf, J.-F., E. Richard, and P. Mascart (1987). The influence of soil and vegetation on the development of mesoscale circulations. *J. Clim. Appl. Meteor.*, **26**, 1483–1495.
- Mahfouf, J.-F., A. O. Manzi, J. Noilhan, H. Giordani, and M. DéQué (1995). The land surface scheme ISBA within Météo-France climate model ARPEGE. Part I: Implementation and preliminary results. *J. Climate*, **8**, 2039–2057.
- Mahrt, L. (1976). Mixed layer moisture structure. *Mon. Wea. Rev.*, **104**, 1403–1407.
- (1987). Grid-averaged surface fluxes. *Mon. Wea. Rev.*, **115**, 1550–1560.
- (1991). Boundary-layer moisture regimes. *Quart. J. Roy. Meteor. Soc.*, **117**, 151–176.
- Mahrt, L. and M. Ek (1984). The influence of atmospheric stability on potential evaporation. *J. Climate Appl. Meteor.*, **23**, 222–234.
- Mahrt, L. and H. L. Pan (1984). A two-layer model of soil hydrology. *Bound.-Layer Meteor.*, **29**, 1–20.
- Makin, V. K. and C. Mastenbroek (1996). Impact of waves on air-sea exchange of sensible heat and momentum. *Bound.-Layer Meteor.*, **79**, 279–300.
- Manabe, S. (1969). The atmospheric circulation and hydrology of the Earth's surface. *Mon. Wea. Rev.*, **97**, 739–774.
- Manabe, S. and R. Strickler (1964). Thermal equilibrium of the atmosphere with a convective adjustment. *J. Atmos. Sci.*, **21**, 361–385.
- Manabe, S., J. Smagorinsky, and R. F. Strickler (1965). Simulated climatology of a general circulation model with a hydrologic cycle. *Mon. Wea. Rev.*, **93**, 769–798.

- Mao, Q., R. T. McNider, S. F. Mueller, and H.-M. H. Juang (1999). An optimal model output calibration algorithm suitable for objective temperature forecasting. *Wea. Forecasting*, **14**, 190–202.
- Mapes, B. E. (1997). Equilibrium vs. activation control of large-scale variations of tropical deep convection. In *The Physics and Parameterization of Moist Atmospheric Convection*, ed. R. K. Smith. Kluwer Academic Publishers, pp. 321–358.
- Mapes, B. E. and J. Lin (2005). Doppler radar observations of mesoscale wind divergence in regions of tropical convection. *Mon. Wea. Rev.*, **133**, 1808–1824.
- Mapes, B. E., P. E. Ciesielski, and R. H. Johnson (2003). Sampling errors in rawinsonde-array budgets. *J. Atmos. Sci.*, **60**, 2697–2714.
- Marchuk, G., G. Mikhailov, M. Nazaraliev, et al. (1980). *The Monte Carlo Methods in Atmospheric Optics*. Springer-Verlag.
- Margulis, S. A. and D. Entekhabi (2004). Boundary-layer entrainment estimation through assimilation of radiosonde and micrometeorological data into a mixed-layer model. *Bound.-Layer Meteor.*, **110**, 405–433.
- Markowski, P. M. and J. Y. Harrington (2005). A simulation of a supercell thunderstorm with emulated radiative cooling beneath the anvil. *J. Atmos. Sci.*, **62**, 2607–2617.
- Marletto, V., F. Zinoni, L. Criscuolo, et al. (2005). Evaluation of downscaled DEMETER multi-model ensemble seasonal hindcasts in a northern Italy location by means of a model of wheat growth and soil water balance. *Tellus*, **57A**, 488–497.
- Marshak, A. and A. B. Davis (2005). *Radiative Transfer in Cloudy Atmospheres*. Springer-Verlag.
- Marshall, C. H., K. C. Crawford, K. E. Mitchell, and D. J. Stensrud (2003). The impact of the land surface physics in the operational NCEP Eta model on simulating the diurnal cycle: evaluation and testing using Oklahoma Mesonet data. *Wea. Forecasting*, **18**, 748–768.
- Marshall, J. S. and W. M. Palmer (1948). The distribution of raindrops with size. *J. Meteor.*, **5**, 165–166.
- Marshall, T. J., J. W. Holmes, and C. W. Rose (1996). *Soil Physics*. Cambridge University Press.
- Mason, B. J. (1956). On the melting of hailstones. *Quart. J. Roy. Meteor. Soc.*, **82**, 209–216.
- (1971). *The Physics of Clouds*, 2nd edn. Oxford University Press.
- Mass, C. F. and Y.-H. Kuo (1998). Regional real-time numerical weather prediction: current status and future potential. *Bull. Amer. Meteor. Soc.*, **79**, 253–263.
- Mass, C. F., M. Albright, D. Overs, et al. (2003). Regional environmental prediction over the Pacific Northwest. *Bull. Amer. Meteor. Soc.*, **84**, 1353–1366.
- Maykut, G. A. and N. Untersteiner (1971). Some results from a time dependent thermodynamic model of sea ice. *J. Geophys. Res.*, **76**, 1550–1575.
- McCarthy, D. J., J. T. Schaefer, and M. Kay (1998). Watch verification at the storm prediction center 1970–1997. Preprints. In *19th Conf. Severe Local Storms*. American Meteorological Society, pp. 603–606.
- McClain, E. P., W. G. Pichel, and C. C. Walton (1985). Comparative performance of AVHRR-based multichannel sea surface temperatures. *J. Geophys. Res.*, **90**, 11 587–11 601.
- McCormle, M. D. (1988). Simulation of surface-moisture effects on the Great Plains low-level jet. *Mon. Wea. Rev.*, **116**, 1705–1720.

- McCumber, M. C. and R. A. Pielke (1981). Simulation of the effects of surface fluxes of heat and moisture in a mesoscale numerical model soil layer. *J. Geophys. Res.*, **86**, 9929–9938.
- McCumber, M. C., W.-K. Tao, J. Simpson, R. Penc, and S.-T. Soong (1991). Comparison of ice-phase microphysical parameterization schemes using numerical simulations of tropical convection. *J. Appl. Meteor.*, **30**, 985–1004.
- McDonald, J. E. (1958). The physics of cloud modification. *Adv. Geophys.*, **5**, 223–303.
- McFarlane, N. A. (1987). The effect of orographically excited gravity wave drag on the general circulation of the lower stratosphere and troposphere. *J. Atmos. Sci.*, **44**, 1775–1800.
- McPherson, R. A. and D. J. Stensrud (2005). Influences of a winter wheat belt on the evolution of the boundary layer. *Mon. Wea. Rev.*, **133**, 2178–2199.
- McPherson, R. A., D. J. Stensrud, and K. C. Crawford (2004). The impact of Oklahoma's winter wheat belt on the mesoscale environment. *Mon. Wea. Rev.*, **132**, 405–421.
- Meador, W. E. and W. R. Weaver (1980). Two stream approximations to radiative transfer in planetary atmospheres: a unified description of existing methods and a near improvement. *J. Atmos. Sci.*, **37**, 630–643.
- Meleshko, V. P. and R. T. Wetherald (1981). The effect of a geographical cloud distribution on climate: a numerical experiment with an atmospheric general circulation model. *J. Geophys. Res.*, **86**, 11 995–12 014.
- Mellor, G. L. and T. Yamada (1974). A hierarchy of turbulence closure models for planetary boundary layers. *J. Atmos. Sci.*, **31**, 1791–1806.
- (1982). Development of a turbulence closure model for geophysical fluid problems. *Rev. Geophys. Space Phys.*, **20**, 851–875.
- Mesinger, F., Z. I. Janjic, S. Nickovic, D. Gavrilov, and D. G. Deaven (1988). The step-mountain coordinate: model description and performance for cases of Alpine lee cyclogenesis and for a case of an Appalachian redevelopment. *Mon. Wea. Rev.*, **116**, 1493–1520.
- Meyers, M. P., P. J. DeMott, and W. R. Cotton (1992). New primary ice nucleation parameterizations in an explicit cloud model. *J. Appl. Meteor.*, **31**, 708–721.
- Meyers, M. P., R. L. Walko, J. Y. Harrington, and W. R. Cotton (1997). New RAMS cloud microphysics parameterization. Part II: The two-moment scheme. *Atmos. Res.*, **45**, 3–39.
- Miller, D. A. and R. A. White (1998). A conterminous United States multilayer soil characteristics data set for regional climate and hydrology modeling. *Earth Interactions*, **2**. (Available online at <http://EarthInteractions.org>.)
- Milly, P. C. D. (1997). Sensitivity of greenhouse summer dryness to changes in plant rooting characteristics. *Geophys. Res. Lett.*, **24**, 269–271.
- Mitchell, H. L. and P. L. Houtekamer (2000). An adaptive ensemble Kalman filter. *Mon. Wea. Rev.*, **128**, 416–433.
- Mitchell, K. E., D. Lohman, P. R. Houser, *et al.* (2004). The multi-institution North American Land Data Assimilation System (NLDAS): utilizing multiple GCIP products and partners in a continental distributed hydrological modeling system. *J. Geophys. Res.*, **109**, doi: 10.1029/2003JD0003823.
- Mlawer, E. J., P. D. Brown, S. A. Clough, *et al.* (2000). Comparison of spectral direct and diffuse solar irradiance measurements and calculations for cloud-free conditions. *Geophys. Res. Lett.*, **27**, 2653–2656.

- Mlawer, E. J., S. J. Taubman, P. D. Iacono, and S. A. Clough (1997). Radiative transfer for inhomogeneous atmosphere: RRTM, a validated correlated- k model for the longwave. *J. Geophys. Res.*, **102**(D14), 16 663–16 682.
- Molinari, J. (1982). A method for calculating the effects of deep cumulus convection in numerical models. *Mon. Wea. Rev.*, **110**, 1527–1534.
- (1985). A general form of Kuo's cumulus parameterization. *Mon. Wea. Rev.*, **113**, 1411–1416.
- (1993). An overview of cumulus parameterization in mesoscale models. In *The Representation of Cumulus Convection in Numerical Models of the Atmosphere*, ed. K. A. Emanuel and D. J. Raymond. *Meteorology Monographs*, No. 46. American Meteorological Society, pp. 155–158.
- Molinari, J. and M. Dudek (1992). Parameterization of convective precipitation in mesoscale models: a critical review. *Mon. Wea. Rev.*, **120**, 326–344.
- Monteith, J. L. (1961). An empirical method for estimating long-wave radiation exchange in the British Isles. *Quart. J. Roy. Meteor. Soc.*, **87**, 171–179.
- (1965). Evaporation and environment. *Symp. Soc. Exp. Biol.*, **19**, 205–234.
- Monteith, J. L. and M. H. Unsworth (1990). *Principles of Environmental Physics*, 2nd edn. Edward Arnold.
- Molteni, F., R. Buizza, T. N. Palmer, and T. Petroliagis (1996). The ECMWF ensemble prediction system: methodology and validation. *Quart. J. Roy. Meteor. Soc.*, **122**, 73–119.
- Moore, K. E., D. R. Fitzjarrald, R. K. Sakai, et al. (1996). Seasonal variations in radiative and turbulent exchange at a deciduous forest in Central Massachusetts. *J. Appl. Meteor.*, **35**, 122–134.
- Morcrette, J.-J. (2002). The surface downward longwave radiation in the ECMWF forecast system. *J. Climate*, **15**, 1875–1892.
- Morcrette, J.-J. and Y. Fouquart (1985). On systematic errors in the parametrized calculations of longwave radiation transfer. *J. Atmos. Sci.*, **43**, 321–328.
- Morse, A. P., F. J. Doblas-Reyes, M. B. Hoshen, R. Hagedorn, and T. N. Palmer (2005). A forecast quality assessment of an end-to-end probabilistic multi-model seasonal forecast system using a malaria model. *Tellus*, **57A**, 464–475.
- Morss, R. E., K. A. Miller, and M. S. Vasil (2005). A systematic economic approach to evaluating public investment in observations for weather forecasting. *Mon. Wea. Rev.*, **133**, 374–388.
- Mullen, S. L. and D. P. Baumhefner (1994). Monte Carlo simulations of explosive cyclogenesis. *Mon. Wea. Rev.*, **122**, 1548–1567.
- Müller, M. D. and D. Scherer (2005). A grid- and subgrid-scale radiation parameterization of topographic effects for mesoscale weather forecast models. *Mon. Wea. Rev.*, **133**, 1431–1442.
- Munn, R. E. (1966). *Descriptive Micrometeorology*. Academic Press.
- Murikami, M. (1990). Numerical modeling of dynamical and microphysical evolution of an isolated convective cloud – the 19 July 1982 CCOPE cloud. *J. Meteor. Soc. Japan*, **68**, 107–128.
- Murphy, A. H. and R. L. Winkler (1979). Probabilistic temperature forecasts: the case for an operational program. *Bull. Amer. Meteor. Soc.*, **60**, 12–19.
- Musil, D. J. (1970). Computer modeling of hailstone growth in feeder clouds. *J. Atmos. Sci.*, **27**, 474–482.
- Nakaya, U. and T. Terada (1935). Simultaneous observations of the mass, falling velocity, and form of individual snow crystals. Hokkaido University, Ser. II, **1**, 191–201.

- Ninomiya, K. (1971a). Dynamical analysis of outflow from tornado-producing thunderstorms as revealed by ATS III pictures. *J. Appl. Meteor.*, **10**, 275–294.
- (1971b). Mesoscale modification of synoptic situations from thunderstorm development as revealed by ATS III and aerological data. *J. Appl. Meteor.*, **10**, 1103–1121.
- Niyogi, D. S. and S. Raman (1997). Comparison of stomatal resistance simulated by four different schemes using FIFE observations. *J. Appl. Meteor.*, **36**, 903–917.
- Niyogi, D. S., S. Raman, and K. Alapaty (1998). Comparison of four different stomatal resistance schemes using FIFE data. Part II: Analysis of terrestrial biospheric-atmospheric interactions. *J. Appl. Meteor.*, **37**, 1301–1320.
- Niyogi, D. S., H. Chang, V. K. Saxena *et al.* (2004). Direct observations of the effects of aerosol loading on net ecosystem CO₂ exchanges over different landscapes. *Geophys. Res. Lett.*, **31**, L20506, doi: 10.1029/2004GL020915.
- Noilhan, J. and S. Planton (1989). A simple parameterization of land-surface processes for meteorological models. *Mon. Wea. Rev.*, **117**, 536–549.
- Nordeng, T. E. (1987). The effect of vertical and slantwise convection on the simulation of polar lows. *Tellus*, **39A**, 354–375.
- (1993). Parameterization of slantwise convection in numerical weather prediction models. In *The Representation of Cumulus Convection in Numerical Models of the Atmosphere*, ed. K. A. Emanuel and D. J. Raymond. *Meteorology Monographs*, No. 46. American Meteorological Society, pp. 195–202.
- Nowlin, W. D., Jr. and C. A. Parker (1974). Effects of a cold-air outbreak on shelf waters of the Gulf of Mexico. *J. Phys. Oceanogr.*, **4**, 467–486.
- Oglesby, R. J. and D. J. Erickson III (1989). Soil moisture and the persistence of North American drought. *J. Climate*, **2**, 1362–1380.
- Olson, D. A., N. W. Junker, and B. Korty (1995). Evaluation of 33 years of quantitative precipitation forecasting at the NMC. *Wea. Forecasting*, **10**, 498–511.
- Ookouchi, Y., M. Segal, M. C. Kessler, and R. A. Pielke (1984). Evaluation of soil moisture effects on generation and modification of mesoscale circulations. *Mon. Wea. Rev.*, **112**, 2281–2292.
- Oost, W. A., G. J. Komen, C. M. J. Jacobs, and C. van Oort (2002). New evidence for a relation between wind stress and wave age from measurements during ASGAMAGE. *Bound.-Layer Meteor.*, **103**, 409–438.
- Otte, T. L., G. Pouliot, J. E. Pleim, *et al.* (2005). Linking the Eta model with the community multiscale air quality (CMAQ) modeling system to build a national air quality forecasting system. *Wea. Forecasting*, **20**, 367–384.
- Ovtchinnikov, M. and Y. L. Kogan (2000). An investigation of ice production mechanisms in small cumuliform clouds using a 3D model with explicit microphysics. Part I: Model description. *J. Atmos. Sci.*, **57**, 2989–3003.
- Palmer, T. N., G. J. Shutts, and R. Swinbank (1986). Alleviation of a systematic westerly bias in general circulation and numerical weather prediction models through an orographic gravity wave drag parametrization. *Quart. J. Roy. Meteor. Soc.*, **112**, 1001–1039.
- Palmer, T. N., A. Alessandri, U. Andersen, *et al.* (2004). Development of a European multimodel ensemble system for seasonal-to-interannual prediction (DEMIETER). *Bull. Amer. Meteor. Soc.*, **85**, 853–872.
- Pan, D.-M. and D. A. Randall (1998). A cumulus parametrization with a prognostic closure. *Quart. J. Roy. Meteor. Soc.*, **124**, 949–981.
- Pan, H. L. and L. Mahrt (1987). Interaction between soil hydrology and boundary-layer development. *Bound.-Layer Meteor.*, **38**, 185–202.

- Pan, Y., A. D. McGuire, J. M. Melillo, *et al.* (2002). A biogeochemistry-based dynamic vegetation model and its application along a moisture gradient in the continental United States. *J. Vegetation Sci.*, **13**, 369–382.
- Panofsky, H. A. and J. A. Dutton (1984). *Atmospheric Turbulence: Models and Methods for Engineering Applications*. John Wiley and Sons.
- Paulson, C. A. (1970). The mathematical representation of wind speed and temperature profiles in an unstable atmospheric surface layer. *J. Appl. Meteor.*, **9**, 857–861.
- Peixoto, J. P. and M. A. Kettani (1973). The control of the water cycle. *Sci. Amer.*, **228**, 46–61.
- Peixoto, J. P. and A. H. Oort (1992). *Physics of Climate*. American Institute of Physics.
- Peláez, D. V. and R. M. Bóo (1987). Plant water potential for shrubs in Argentina. *J. Range Manag.*, **40**, 6–9.
- Peltier, W. R. and T. L. Clark (1979). The evolution and stability of finite-amplitude mountain waves. Part II: Surface-wave drag and severe downslope windstorms. *J. Atmos. Sci.*, **36**, 1498–1529.
- Penman, H. L. (1948). Natural evaporation from open water, bare soil, and grass. *Proc. Roy. Soc. London*, **A193**, 120–195.
- Persson, A. (2005a). Early operational numerical weather prediction outside the USA: an historical introduction. Part I: Internationalism and engineering, NWP in Sweden, 1952–69. *Meteorol. Appl.*, **12**, 135–159.
- (2005b). Early operational numerical weather prediction outside the USA: an historical introduction. Part II: Twenty countries around the world. *Meteorol. Appl.*, **12**, 269–289.
- (2005c). Early operational numerical weather prediction outside the USA: an historical introduction. Part III: Endurance and mathematics – British NWP, 1948–1965. *Meteorol. Appl.*, **12**, 381–413.
- Peters-Lidard, C. D., E. Blackburn, X. Liang, and E. F. Wood (1998). The effect of soil thermal conductivity parameterization on surface energy fluxes and temperatures. *J. Atmos. Sci.*, **55**, 1209–1224.
- Philander, S. G. H. (1989). *El Niño, La Niña, and the Southern Oscillation*. Academic Press.
- Philipona, R. (2002). Underestimation of solar global and diffuse radiation measured at the Earth's surface. *J. Geophys. Res.*, **107**(D22), doi: 10.1019/2002JD002396.
- Phillips, S. P. (1984). Analytical surface pressure and drag for linear hydrostatic flow over three-dimensional elliptical mountains. *J. Atmos. Sci.*, **41**, 1073–1084.
- Pielke, R. A., G. A. Dalu, J. S. Snook, T. J. Lee, and T. G. F. Kittel (1991). Nonlinear influence of mesoscale land use on weather and climate. *J. Climate*, **4**, 1053–1069.
- Pierrehumbert, R. T. (1986). An essay on the parameterization of orographic gravity-wave drag. In *Proc. Seminar/Workshop on Observation, Theory and Modeling of Orographic Effects*, vol. 1, September, Shinfield Park, Reading, ECMWF, pp. 251–282.
- Pincus, R. and S. A. Ackermann (2003). Radiation in the atmosphere: foundations. In *Handbook of Weather, Climate, and Water. Dynamics, Climate, Physical Meteorology, Weather Systems, and Measurements*, ed. T. D. Potter and B. R. Colman. Wiley-Interscience, pp. 301–342.
- Pleim, J. E. and J. S. Chang (1992). A non-local closure model for vertical mixing in the convective boundary layer. *Atmos. Environ.*, **26A**, 965–981.
- Powers, J. G. and M. T. Stoelinga (2000). A coupled air-sea mesoscale model: experiments in atmospheric sensitivity to marine roughness. *Mon. Wea. Rev.*, **128**, 208–228.

- Pressman, D. Y. (1994). Numerical model of hydrothermal processes in soil as part of the scheme of mesoscale forecasting. *Meteorol. Gidrol.*, **11**, 62–75 (in Russian).
- Priestley, C. H. B. (1954). Convection from a large horizontal surface. *Australian J. Phys.*, **6**, 279–290.
- Priestley, C. H. B. and R. J. Taylor (1972). On the assessment of surface heat flux and evaporation using large-scale parameters. *Mon. Wea. Rev.*, **100**, 81–92.
- Pruppacher, H. R. and J. D. Klett (2000). *Microphysics of Clouds and Precipitation*, 2nd edn. Kluwer Academic Publishers.
- Pudykiewicz, R., R. Benoit, and J. Mailhot (1992). Inclusion and verification of a predictive cloud-water scheme in a regional numerical weather prediction model. *Mon. Wea. Rev.*, **120**, 612–626.
- Rabier, F., H. Järvinen, E. Klinker, J. F. Mahfouf, and A. Simmons (2000). The ECMWF operational implementation of four-dimensional variational assimilation. Part I: Experimental results with simplified physics. *Quart. J. Roy. Meteor. Soc.*, **126**, 1143–1170.
- Rabin, R. M., S. Stadler, P. J. Wetzel, D. J. Stensrud, and M. Gregory (1990). Observed effects of landscape variability on convective clouds. *Bull. Amer. Meteor. Soc.*, **71**, 272–280.
- Ramanathan, V., E. J. Pitcher, R. C. Malone, and M. L. Blackman (1983). The response of a spectral general circulation model to refinements in radiative processes. *J. Atmos. Sci.*, **40**, 605–630.
- Randall, D. A., J. A. Abeles, and T. G. Corsetti (1985). Seasonal simulations of the planetary boundary layer and boundary-layer stratocumulus clouds with a general circulation model. *J. Atmos. Sci.*, **42**, 641–675.
- Randall, D. A., M. Khairoutdinov, A. Arakawa, and W. Grabowski (2003). Breaking the cloud parameterization deadlock. *Bull. Amer. Meteor. Soc.*, **84**, 1547–1564.
- Rasmussen, E. (1985). A case study of a polar low development over the Barents Sea. *Tellus*, **37A**, 407–418.
- Rasmussen, E. N. (1967). Atmospheric water vapor transport and the water balance of North America. Part I: Characteristics of the water vapor flux field. *Mon. Wea. Rev.*, **95**, 403–426.
- Rasmussen, R., M. Politovich, J. Marwitz, et al. (1992). Winter Icing and Storms Project (WISP). *Bull. Amer. Meteor. Soc.*, **73**, 951–974.
- Rauber, R. M. (2003). Microphysical processes in the atmosphere, ch. 18. In *Handbook of Weather, Climate, and Water. Dynamics, Climate, Physical Meteorology, Weather Systems, and Measurements*, ed. T. D. Potter and B. R. Colman. Wiley, pp. 255–299.
- Rawls, W. J., D. L. Brakensiek, and K. E. Saxton (1982). Estimation of soil water properties. *Trans. Amer. Soc. Agric. Eng.*, **25**, 1316–1320.
- Raymond, D. J. (1995). Regulation of moist convection over the west Pacific warm pool. *J. Atmos. Sci.*, **52**, 3945–3959.
- Raymond, D. J. and A. M. Blyth (1986). A stochastic model for nonprecipitating cumulus clouds. *J. Atmos. Sci.*, **43**, 2708–2718.
- Raymond, D. J. and K. A. Emanuel (1993). The Kuo cumulus parameterization. In *The Representation of Cumulus Convection in Numerical Models of the Atmosphere*, ed. K. A. Emanuel and D. J. Raymond. *Meteorology Monographs*, No. 46. American Meteorological Society, pp. 145–147.
- Raymond, T. M. and S. N. Pandis (2002). Cloud activation of single-component organic aerosol particles. *J. Geophys. Res.*, **107**, doi: 10.1029/2002JD002159.

- Raymond, W. H. and R. B. Stull (1990). Application of transilient turbulence theory to mesoscale numerical weather forecasting. *Mon. Wea. Rev.*, **118**, 2471–2499.
- Reed, R. J. and E. E. Recker (1971). Structure and properties of synoptic-scale wave disturbances in the equatorial western Pacific. *J. Atmos. Sci.*, **28**, 1117–1133.
- Reisner, J., R. M. Rasmussen, and R. T. Bruintjes (1998). Explicit forecasting of supercooled liquid water in winter storms using the MM5 mesoscale model. *Quart. J. Royal Meteor. Soc.*, **124**, 1071–1107.
- Reynolds, C. A., T. J. Jackson, and W. J. Rawls (2000). Estimating soil water-holding capacities by linking the Food and Agriculture Organization soil map of the world with global pedon databases and continuous pedotransfer functions. *Water Resources Res.*, **36**, 3653–3662.
- Reynolds, D. (2003). Value-added quantitative precipitation forecasts: how valuable is the forecaster? *Bull. Amer. Meteor. Soc.*, **84**, 876–878.
- Reynolds, R. W. and T. M. Smith (1994). Improved global sea surface temperature analyses using optimum interpolation. *J. Climate*, **7**, 929–948.
- Richards, L. A. (1931). Capillary conduction of liquids through porous mediums. *Physics*, **1**, 318–333.
- Robock, A., L. Luo, E. F. Wood, et al. (2003). Evaluation of the North American Land Data Assimilation System over the southern Great Plains during the warm season. *J. Geophys. Res.*, **108**, doi: 10.1029/2002JD003245.
- Rodell, M., P. R. Houser, U. Jambor, et al. (2004). The global land data assimilation system. *Bull. Amer. Meteor. Soc.*, **85**, 381–394.
- Rodgers, C. D. (1967). The use of emissivity in atmospheric radiation calculations. *Quart. J. Roy. Meteor. Soc.*, **93**, 43–54.
- Rodgers, C. D. and C. D. Walshaw (1966). The computation of infrared cooling rate in planetary atmospheres. *Quart. J. Roy. Meteor. Soc.*, **92**, 67–92.
- Roebber, P. J., D. M. Schultz, B. A. Colle, and D. J. Stensrud (2004). The risks and rewards of high-resolution and ensemble numerical weather prediction. *Wea. Forecasting*, **19**, 936–949.
- Roeger, C., R. Stull, D. McClung, et al. (2003). Verification of mesoscale numerical weather forecasts in mountainous terrain for application to avalanche prediction. *Wea. Forecasting*, **18**, 1140–1160.
- Rogers, R. R. (1976). *A Short Course in Cloud Physics*, 2nd edn. Pergamon.
- Rogers, R. R. and M. K. Yau (1989). *A Short Course in Cloud Physics*, 3rd edn. Butterworth-Heinemann.
- Ronda, R. J., B. J. J. M. van den Hurk, and A. A. M. Holtslag (2002). Spatial heterogeneity of the soil moisture content and its impact on surface flux densities and near-surface meteorology. *J. Hydrometeorol.*, **3**, 556–570.
- Ross, G. H. (1989). Model output statistics – an updateable scheme. Preprints. In *11th Conf. on Probability and Statistics in Atmospheric Sciences*, Monterey, CA. American Meteorological Society, pp. 93–97.
- Rotta, J. C. (1951). Statistische theorie nichthomogener turbulenz. *Zeitschrift Phys.*, **129**, 547–572.
- Rutledge, S. A. and P. V. Hobbs (1983). The mesoscale and microscale structure and organization of clouds and precipitation in midlatitude cyclones. Part VIII: A model for the “seeder-feeder” process in warm-frontal rainbands. *J. Atmos. Sci.*, **40**, 1185–1206.
- (1984). The mesoscale and microscale structure and organization of clouds and precipitation in midlatitude cyclones. XII: A diagnostic modeling study of

- precipitation development in narrow cold-frontal rainbands. *J. Atmos. Sci.*, **41**, 2949–2972.
- Rutter, A. J., K. A. Kershaw, P. C. Robins, and A. J. Morton (1971). A predictive model of rainfall interception in forests. I. Derivation of the model from observations in a plantation of Corsican pine. *Agric. Meteor.*, **9**, 367–384.
- Rutter, A. J., A. J. Morton, and P. C. Robins (1975). A predictive model of rainfall interception in forests. II. Generalization of the model and comparison with observations in some coniferous and hardwood stands. *J. Appl. Ecol.*, **12**, 367–380.
- Sanders, F. and J. R. Gyakum (1980). Synoptic-dynamic climatology of the “bomb.” *Mon. Wea. Rev.*, **108**, 1589–1606.
- Santanello, J. A., Jr. and T. N. Carlson (2001). Mesoscale simulation of rapid soil drying and its implication for predicting daytime temperature. *J. Hydrometeor.*, **2**, 71–88.
- Sarachik, E. S. (2003). The ocean in climate, ch. 10. In *Handbook of Weather, Climate, and Water. Dynamics, Climate, Physical Meteorology, Weather Systems, and Measurements*, ed. T. D. Potter and B. R. Colman. Wiley-Interscience, pp. 129–133.
- Sasamori, T. (1968). The radiative cooling calculation for application to general circulation experiments. *J. Appl. Meteor.*, **7**, 721–729.
- Satheesh, S. K., V. Ramanathan, X. Li-Jones, et al. (1999). A model for the natural and anthropogenic aerosols over the tropical Indian Ocean derived from Indian Ocean Experiment data. *J. Geophys. Res.*, **104**, 27 421–27 440.
- Sato, N., P. J. Sellers, D. A. Randall, et al. (1989). Effects of implementing the simple biosphere model in a general circulation model. *J. Atmos. Sci.*, **46**, 2757–2782.
- Savijärvi, H. (1990). Fast radiation parameterization schemes for mesoscale and short-range forecast models. *J. Appl. Meteor.*, **29**, 437–447.
- Savijärvi, H. and P. Räisänen (1998). Long-wave optical properties of water clouds and rain. *Tellus*, **50A**, 1–11.
- Schaake, J. C., V. I. Koren, Q.-Y. Duan, K. Mitchell, and F. Chen (1996). Simple water balance model for estimating runoff at different spatial and temporal scales. *J. Geophys. Res.*, **101**, 7461–7475.
- Schaake, J. C. et al. (2004). An intercomparison of soil moisture fields in the North American Land Data Assimilation System (NLDAS). *J. Geophys. Res.*, **109**, doi: 10.1019/2002JD003309.
- Schlesinger, W. H. (1997). *Biogeochemistry: an Analysis of Global Change*. Academic Press.
- Schneider, E. K., Z. Zhu, B. S. Giese, et al. (1997). Annual cycle and ENSO in a coupled ocean-atmosphere general circulation model. *Mon. Wea. Rev.*, **125**, 680–702.
- Schneider, J. M. and D. K. Lilly (1999). An observational and numerical study of a sheared, convective boundary layer. Part I: Phoenix II observations, statistical description, and visualization. *J. Atmos. Sci.*, **56**, 3059–3078.
- Schneider, S. H. (1972). Cloudiness as a global climate feedback mechanism: the effects on the radiation balance and surface temperature variations in cloudiness. *J. Atmos. Sci.*, **29**, 1413–1422.
- Schreiner, A. J., D. A. Unger, W. P. Menzel, et al. (1993). A comparison of ground and satellite observations of cloud cover. *Bull. Amer. Meteor. Soc.*, **74**, 1851–1861.
- Schultz, D. M., W. E. Bracken, L. F. Bosart, et al. (1997). The 1993 Superstorm cold surge: frontal structure, gap flow, and tropical impact. *Mon. Wea. Rev.*, **125**, 5–39; Corrigendum, **125**, 662.

- Schultz, D. M., D. S. Arndt, D. J. Stensrud, and J. W. Hanna (2004). Snowbands during the cold-air outbreak of 23 January 2003. *Mon. Wea. Rev.*, **132**, 827–842.
- Schultz, P. (1995). An explicit cloud physics parameterization for operational numerical weather prediction. *Mon. Wea. Rev.*, **123**, 3331–3343.
- Schwarzkopf, M. D. and S. B. Fels (1991). The simplified exchange model revisited: an accurate, rapid method for computation of infrared cooling rates and fluxes. *J. Geophys. Res.*, **96**, 9075–9096.
- Scinocca, J. F. and N. A. McFarlane (2000). The parametrization of drag induced by stratified flow over anisotropic orography. *Quart. J. Roy. Meteor. Soc.*, **126**, 2353–2393.
- Scorer, R. S. (1949). Theory of waves in the lee of mountains. *Quart. J. Roy. Meteor. Soc.*, **75**, 41–56.
- Segal, M. and R. W. Arritt (1992). Nonclassical mesoscale circulations caused by surface sensible heat-flux gradients. *Bull. Amer. Meteor. Soc.*, **73**, 1593–1604.
- Segal, M., R. Avissar, M. C. McCumber, and R. A. Pielke (1988). Evaluation of vegetation effects on the generation and modification of mesoscale circulations. *J. Atmos. Sci.*, **45**, 2268–2292.
- Segal, M., J. F. W. Purdom, J. L. Song, R. A. Pielke, and Y. Mahrer (1986). Evaluation of cloud shading effects on the generation and modification of mesoscale circulations. *Mon. Wea. Rev.*, **114**, 1201–1212.
- Segal, M., W. E. Schreiber, G. Kallos, et al. (1989). The impact of crop areas in northeast Colorado on midsummer mesoscale thermal circulations. *Mon. Wea. Rev.*, **117**, 809–825.
- Segal, M., W. L. Physick, J. E. Heim, and R. W. Arritt (1993). The enhancement of cold-front temperature contrast by differential cloud cover. *Mon. Wea. Rev.*, **121**, 867–873.
- Segele, Z. T., D. J. Stensrud, I. C. Ratcliffe, and G. M. Henebry (2005). Influence of a hailstreak on boundary layer evolution. *Mon. Wea. Rev.*, **133**, 942–960.
- Seguin, B. and N. Gignoux (1974). Etude experimentale de l'influence d'un reseau de brise-vent sur le profil vertical de vitesse du vent (Experimental study of the effects of a network of windbreaks on the vertical profile of windspeed). *Agric. For. Meteor.*, **13**, 15–23.
- Sela, J. G. (1980). Spectral modeling at the National Meteorological Center. *Mon. Wea. Rev.*, **108**, 1279–1292.
- Sellers, P. J. (1985). Canopy reflectance, photosynthesis and transpiration. *Int. J. Remote Sens.*, **6**, 1335–1372.
- (1987). Canopy reflectance, photosynthesis, and transpiration. II. The role of biophysics in the linearity of their interdependence. *Rem. Sens. Env.*, **21**, 143–183.
- Sellers, P. J., Y. Mintz, Y. C. Sud, and A. Dalcher (1986). A simple biosphere model (SiB) for use within general circulation models. *J. Atmos. Sci.*, **43**, 505–531.
- Shettle, E. P. and J. A. Weinman (1970). The transfer of solar irradiance through inhomogeneous turbid atmospheres evaluated by Eddington's approximation. *J. Atmos. Sci.*, **27**, 1048–1055.
- Shukla, J. and Y. Sud (1981). Effect of cloud-radiation feedback on the climate of a general circulation model. *J. Atmos. Sci.*, **38**, 2337–2353.
- Shulman, M. L., M. C. Jacobson, R. J. Charlson, R. E. Synovec, and T. E. Young (1997). Dissolution behavior and surface tension effects of organic compounds in nucleating cloud droplets. *Geophys. Res. Lett.*, **23**, 277–280.
- Shuman, F. G. (1989). History of numerical weather prediction at the National Meteorological Center. *Wea. Forecasting*, **4**, 286–296.

- Shuman, F. G. and J. B. Hovermale (1968). An operational six-layer primitive equation model. *J. Appl. Meteor.*, **7**, 525–547.
- Siebesma, A. P. and J. W. M. Cuijpers (1995). Evaluation of parametric assumptions for shallow cumulus convection. *J. Atmos. Sci.*, **52**, 650–666.
- Simpson, J. and V. Wiggert (1969). Models of precipitating cumulus towers. *Mon. Wea. Rev.*, **97**, 471–489.
- Sitch, S., B. Smith, I. C. Prentice, et al. (2003). Evaluation of ecosystem dynamics, plant geography and terrestrial carbon cycling in the LPJ dynamic global vegetation model. *Global Change Biol.*, **9**, 161–185.
- Slater, A. G., C. A. Schlosser, C. E. Desborough, et al. (2001). The representation of snow in land surface schemes: results from PILPS 2(d). *J. Hydrometeor.*, **2**, 7–25.
- Slingo, J. M. (1980). A cloud parameterization scheme derived from GATE data for use with a numerical model. *Quart. J. Roy. Meteor. Soc.*, **106**, 747–770.
- (1987). The development and verification of a cloud prediction scheme for the ECMWF model. *Quart. J. Roy. Meteor. Soc.*, **113**, 899–927.
- Smagorinsky, J. (1960). On the dynamical prediction of large-scale condensation by numerical methods. *Geophys. Monogr.*, No. 5. American Geophysical Union, pp. 71–78.
- Smagorinsky, J., S. Manabe, and J. L. Holloway, Jr. (1965). Numerical results from a nine-level general circulation model of the atmosphere. *Mon. Wea. Rev.*, **93**, 727–768.
- Smirnova, T. G., J. M. Brown, and S. G. Benjamin (1997). Performance of different soil model configurations in simulating ground surface temperature and surface fluxes. *Mon. Wea. Rev.*, **125**, 1870–1884.
- Smirnova, T. G., J. M. Brown, S. G. Benjamin, and D. Kim (2000). Parameterization of cold-season processes in the MAPS land-surface scheme. *J. Geophys. Res.*, **105**, 4077–4086.
- Smith, E. A., M. M.-K. Wai, H. J. Cooper, M. T. Rubes, and A. Hsu (1994). Linking boundary-layer circulations and surface processes during FIFE 89. Part I: Observational analysis. *J. Atmos. Sci.*, **51**, 1497–1529.
- Smith, P. L. (2003). Raindrop size distributions: exponential or gamma – does the difference matter? *J. Appl. Meteor.*, **42**, 1031–1034.
- Smith, R. B. (1979). The influence of mountains on the atmosphere. *Adv. Geophys.*, **33**, 87–230.
- (1990). A scheme for predicting layer clouds and their water-content in a general circulation model. *Quart. J. Roy. Meteor. Soc.*, **116**, 435–460.
- Smith, S. D. (1988). Coefficients for sea surface wind stress, heat flux, and wind profiles as a function of wind speed and temperature. *J. Geophys. Res.*, **93**, 15 467–15 472.
- Snyder, C. and F. Zhang (2003). Assimilation of simulated Doppler radar observations with an ensemble Kalman filter. *Mon. Wea. Rev.*, **131**, 1663–1677.
- Spahn, J. F. (1976). The airborne hail disdrometer: an analysis of its 1975 performance. Rep. 76–13, *Inst. Atmos. Sci., South Dakota School of Mines and Technology*, Rapid City, SD.
- Stainforth, D. A., T. Aina, C. Christensen, et al. (2005). Uncertainty in predictions of the climate response to rising levels of greenhouse gases. *Nature*, **433**, 403–406.
- Staley, D. O. and G. M. Jurica (1970). Flux emissivity tables for water vapor, carbon dioxide and ozone. *J. Appl. Meteor.*, **9**, 365–372.
- Stensrud, D. J. (1993). Elevated residual layers and their influence on surface boundary-layer evolution. *J. Atmos. Sci.*, **50**, 2284–2293.

- (1996). Importance of low-level jets to climate: a review. *J. Climate*, **9**, 1698–1711.
- (1996). Effects of a persistent, midlatitude mesoscale region of convection on the large-scale environment during the warm season. *J. Atmos. Sci.*, **53**, 3503–3527.
- Stensrud, D. J. and J. L. Anderson (2001). Is midlatitude convection an active or a passive player in producing global circulation patterns? *J. Climate*, **14**, 2222–2237.
- Stensrud, D. J. and J. M. Fritsch (1994). Mesoscale convective systems in weakly forced large-scale environments. Part III: Numerical simulations and implications for operational forecasting. *Mon. Wea. Rev.*, **112**, 2084–2104.
- Stensrud, D. J. and S. J. Weiss (2002). Mesoscale model ensemble forecasts of the 3 May 1999 tornado outbreak. *Wea. Forecasting*, **17**, 526–543.
- Stensrud, D. J. and N. Yussouf (2003). Short-range ensemble predictions of 2-m temperature and dewpoint temperature over New England. *Mon. Wea. Rev.*, **131**, 2510–2524.
- (2005). Bias-corrected short-range ensemble forecasts of near surface variables. *Meteor. Appl.*, **12**, 217–230.
- Stensrud, D. J., H. E. Brooks, J. Du, M. S. Tracton, and E. Rogers (1999). Using ensembles for short-range forecasting. *Mon. Wea. Rev.*, **127**, 433–446.
- (2000a). Reply to comments on “Using ensembles for short-range forecasting.” *Mon. Wea. Rev.*, **128**, 3021–3023.
- Stensrud, D. J., J.-W. Bao, and T. T. Warner (2000b). Using initial condition and model physics perturbations in short-range ensembles of mesoscale convective systems. *Mon. Wea. Rev.*, **128**, 2077–2107.
- Stensrud, D. J., N. Yussouf, M. E. Baldwin, et al. (2006). The New England High-Resolution Temperature Program (NEH RTP). *Bull. Amer. Meteor. Soc.*, **87**, 491–498.
- Stephens, G. L. (1978a). Radiative properties of extended water clouds. Part I: Theory. *J. Atmos. Sci.*, **35**, 2111–2122.
- (1978b). Radiative properties of extended water clouds. Part II: Parameterization schemes. *J. Atmos. Sci.*, **35**, 2123–2132.
- (1984). The parameterization of radiation for numerical weather prediction and climate models. *Mon. Wea. Rev.*, **112**, 826–867.
- (2005). Cloud feedbacks in the climate system: a critical review. *J. Climate*, **18**, 237–273.
- Stephens, G. L. and S.-C. Tsay (1990). On the cloud absorption anomaly. *Quart. J. Roy. Meteor. Soc.*, **116**, 671–704.
- Stephens, G. L., S.-C. Tsay, P. W. Stackhouse Jr., and P. J. Flatau (1990). The relevance of the microphysical and radiative properties of cirrus clouds to climatic feedback. *J. Atmos. Sci.*, **47**, 1742–1753.
- Stephens, G. L., N. B. Wood, and P. M. Gabriel (2004). Assessment of the parameterization of subgrid-scale cloud effects on radiative transfer. Part I: Vertical overlap. *J. Atmos. Sci.*, **61**, 715–732.
- Stern, W. F., R. T. Pierrehumbert, J. Sirutis, J. Poshay, and K. Miyakoda (1987). Recent development in the GFDL extended-range forecasting system. *J. Meteor. Soc. Japan* (special volume WMO/IUGG NWP Smp.), 359–363.
- Stevens, B., C.-H. Moeng, A. S. Ackerman, et al. (2005). Evaluation of large-eddy simulations via observations of nocturnal marine stratocumulus. *Mon. Wea. Rev.*, **133**, 1443–1462.

- Stockdale, T. N., D. L. T. Anderson, J. O. S. Alves, and M. A. Balmaseda (1998). Global seasonal rainfall forecasts using a coupled ocean-atmosphere model. *Nature*, **392**, 370-373.
- Stoelinga, M. T., P. V. Hobbs, C. V. Mass, et al. (2003). Improvement of Microphysical Parameterization through Observational Verification Experiment (IMPROVE). *Bull. Amer. Meteor. Soc.*, **84**, 1807-1826.
- Stokes, G. M. and S. E. Schwartz (1994). The Atmospheric Radiation Measurement (ARM) program: programmatic background and design of the cloud and radiation test bed. *Bull. Amer. Meteor. Soc.*, **75**, 1201-1221.
- Straka, J. M. and E. R. Mansell (2005). A bulk microphysics parameterization with multiple ice precipitation categories. *J. Appl. Meteor.*, **44**, 445-466.
- Straka, J. M. and E. N. Rasmussen (1997). Toward improving microphysical parameterizations of conversion processes. *J. Appl. Meteor.*, **36**, 896-902.
- Stull, R. B. (1976). The energetics of entrainment across a density interface. *J. Atmos. Sci.*, **33**, 1260-1278.
- (1984). Transient turbulence theory. Part I: The concept of eddy mixing across small distances. *J. Atmos. Sci.*, **41**, 3351-3367.
- (1988). *An Introduction to Boundary Layer Meteorology*. Kluwer.
- (1991). Static stability - an update. *Bull. Amer. Meteor. Soc.*, **72**, 1521-1529.
- (1993). Review of non-local mixing in turbulent atmospheres: transient turbulence theory. *Bound.-Layer Meteor.*, **62**, 21-96.
- Stumpf, H. G. (1975). Satellite detection of upwelling in the Gulf of Tehuantepec, Mexico. *J. Phys. Oceanogr.*, **5**, 383-388.
- Su, H. B., K. T. Paw U, and R. Shaw (1996). Development of a coupled leaf and canopy model for the simulation of plant-atmosphere interaction. *J. Appl. Meteor.*, **35**, 734-748.
- Sublette, M. S. and G. S. Young (1996). Warm-season effects of the Gulf Stream on mesoscale characteristics of the atmospheric boundary layer. *Mon. Wea. Rev.*, **124**, 653-667.
- Sundqvist, H. (1988). Parameterization of condensation and associated clouds for weather prediction and general circulation simulation. In *Physically-Based Modelling and Simulation of Climate and Climate Change*, ed. M. E. Schlesinger. Reidel, pp. 433-461.
- Sundqvist, H., E. Berge, and J. E. Kristjansson (1989). Condensation and cloud parameterization studies with a mesoscale numerical weather prediction model. *Mon. Wea. Rev.*, **117**, 1641-1657.
- Swann, H. (1998). Sensitivity to the representation of precipitating ice in CRM simulations of deep convection. *Atmos. Res.*, **47-48**, 415-435.
- Sweet, W., R. Felt, J. Kerling, and P. La Violette (1981). Air-sea interaction effects in the lower troposphere across the north wall of the Gulf Stream. *Mon. Wea. Rev.*, **109**, 1042-1052.
- Swinbank, W. C. (1968). A comparison between predictions of dimensional analysis for the constant-flux layer and observations in unstable conditions. *Quart. J. Roy. Meteor. Soc.*, **94**, 460-467.
- Taiz, L. and E. Zeiger (2002). *Plant Physiology*. Sinauer Associates, Inc.
- Takara, E. E. and R. G. Ellingson (2000). Broken cloud field longwave scattering effects. *J. Atmos. Sci.*, **57**, 1298-1310.
- Tao, W.-K., J. R. Scala, B. Ferrier, and J. Simpson (1995). The effect of melting processes on the development of a tropical and a midlatitude squall line. *J. Atmos. Sci.*, **52**, 1934-1948.

- Taylor, P. K. and M. A. Yelland (2001). The dependence of sea surface roughness on the height and steepness of the waves. *J. Phys. Oceanogr.*, **31**, 572–590.
- Teixeira, J. and T. F. Hogan (2002). Boundary layer clouds in a global atmospheric model: simple cloud cover parameterizations. *J. Climate*, **15**, 1261–1275.
- Teixeira, J., J. P. Ferreira, P. M. A. Miranda, et al. (2004). A new mixing-length formulation for the parameterization of dry convection: implementation and evaluation in a mesoscale model. *Mon. Wea. Rev.*, **132**, 2698–2707.
- Telford, J. W. (1955). A new aspect of coalescence theory. *J. Meteor.*, **12**, 436–444. (1975). Turbulence, entrainment and mixing in cloud dynamics. *Pure Appl. Geophys.*, **113**, 1067–1084.
- Thiebaux, J., E. Rogers, W. Wang, and B. Katz (2003). A new high-resolution blended real-time global sea surface temperature analysis. *Bull. Amer. Meteor. Soc.*, **84**, 645–656.
- Thompson, A. M. (2002). A prognostic parameterization for the subgrid-scale variability of water vapor and clouds in large-scale models and its use to diagnose cloud cover. *J. Atmos. Sci.*, **59**, 1917–1942.
- Thompson, G., R. M. Rasmussen, and K. Manning (2004). Explicit forecasts of winter precipitation using an improved bulk microphysics scheme. Part I: Description and sensitivity analysis. *Mon. Wea. Rev.*, **132**, 519–542.
- Thompson, P. D. (1957). Uncertainty of the initial state as a factor in the predictability of large scale atmospheric flow patterns. *Tellus*, **9**, 275–295.
- Tian, L. and J. A. Curry (1989). Cloud overlap statistics. *J. Geophys. Res.*, **94**, 9925–9935.
- Tibaldi, S. (1986). Envelope orography and the maintenance of quasi-stationary waves in the ECMWF model. *Adv. Geophys.*, **29**, 339–374.
- Tiedtke, M. (1989). A comprehensive mass flux scheme for cumulus parameterization in large-scale models. *Mon. Wea. Rev.*, **117**, 1779–1800. (1993). Representation of clouds in large-scale models. *Mon. Wea. Rev.*, **121**, 3040–3061.
- Tokay, A. and D. A. Short (1996). Evidence from tropical raindrop spectra of the origin of rain from stratiform versus convective clouds. *J. Appl. Meteor.*, **35**, 355–371.
- Tompkins, A. M. (2001). Organization of tropical convection in low vertical wind shears: the role of water vapor. *J. Atmos. Sci.*, **58**, 529–545.
- Toth, Z. and E. Kalnay (1993). Ensemble forecasting at NMC: the generation of perturbations. *Bull. Amer. Meteor. Soc.*, **74**, 2317–2330. (1997). Ensemble forecasting at NCEP and the breeding method. *Mon. Wea. Rev.*, **125**, 3297–3319.
- Trenberth, K. E. and C. J. Guillemot (1996). Physical processes involved in the 1988 drought and 1993 floods in North America. *J. Climate*, **9**, 1288–1298.
- Tribbia, J. J. (1991). The rudimentary theory of atmospheric teleconnections associated with ENSO. In *Teleconnections Linking Worldwide Climate Anomalies*, ed. M. H. Glantz, R. W. Katz, and N. Nicholls. Cambridge University Press, pp. 285–308.
- Tribbia, J. J. and D. P. Baumhefner (2004). Scale interactions and atmospheric predictability: an updated perspective. *Mon. Wea. Rev.*, **132**, 703–713.
- Trier, S. B., C. A. Davis, and J. D. Tuttle (2000). Long-lived mesoconvective vortices and their environment. Part I: Observations from the central United States during the 1998 warm season. *Mon. Wea. Rev.*, **128**, 3376–3395.
- Tripoli, G. J. and W. R. Cotton (1980). A numerical investigation of several factors contributing to the observed variable intensity of deep convection over south Florida. *J. Appl. Meteor.*, **19**, 1037–1063.

- Troen, I. and L. Mahrt (1986). A simple model of the atmospheric boundary layer: sensitivity to surface evaporation. *Bound.-Layer Meteor.*, **37**, 129–148.
- Tucker, C. J., J. A. Gatlin, and S. R. Schneider (1984). Monitoring vegetation in the Nile delta with NOAA-6 and NOAA-7 AVHRR imagery. *Photo. Eng. Remote Sens.*, **50**, 53–61.
- Twomey, S. (1976). Computations of the absorption of solar radiation by clouds. *J. Atmos. Sci.*, **33**, 1087–1091.
- (1977). The influence of pollution on the shortwave albedo of clouds. *J. Atmos. Sci.*, **34**, 1149–1152.
- Unsworth, M. H. and J. L. Monteith (1975). Long-wave radiation at the ground. I. Angular distribution of incoming radiation. *Quart. J. Roy. Meteor. Soc.*, **101**, 13–24.
- Van de Hulst, H. C. (1945). Theory of absorption lines in the atmosphere of the Earth. *Ann. Astrophys.*, **8**, 21–34.
- Viterbo, P. and A. C. M. Beljaars (1995). An improved land surface parameterization scheme in the ECMWF model and its validation. *J. Climate*, **8**, 2716–2748.
- Walcek, C. J. (1994). Cloud cover and its relationship to relative humidity during a springtime midlatitude cyclone. *Mon. Wea. Rev.*, **122**, 1021–1035.
- Walko, R., W. R. Cotton, M. P. Meyers, and J. Y. Harrington (1995). New RAMS cloud microphysics parameterization. Part I: The single-moment scheme. *Atmos. Res.*, **38**, 29–62.
- Wallace, J. M. and P. V. Hobbs (1977). *Atmospheric Science: an Introductory Survey*. Academic Press.
- Wallace, J. M., S. Tibaldi, and A. J. Simmons (1983). Reduction of systematic forecast errors in the ECMWF model through the introduction of an envelope orography. *Quart. J. Roy. Meteor. Soc.*, **109**, 683–717.
- Walters, M. K. (2000). Comments on "The differentiation between grid spacing and resolution and their application to numerical modeling." *Bull. Amer. Meteor. Soc.*, **81**, 2475–2477.
- Walton, C. C. (1988). Nonlinear multichallen algorithms for estimating sea surface temperature with AVHRR satellite data. *J. Appl. Meteor.*, **27**, 115–124.
- Wandishin, M. S., S. L. Mullen, D. J. Stensrud, and H. E. Brooks (2001). Evaluation of a short-range multimodel ensemble system. *Mon. Wea. Rev.*, **129**, 729–747.
- Wang, W. and N. L. Seaman (1997). A comparison study of convective parameterization schemes in a mesoscale model. *Mon. Wea. Rev.*, **125**, 252–278.
- Wang, Y.-P. and P. J. Jarvis (1990). Description and validation of an array model - MAESTRO. *Agric. For. Meteor.*, **51**, 257–280.
- Warner, T. T. and N. L. Seaman (1990). A real-time, mesoscale numerical weather prediction system used for research, teaching, and public service at The Pennsylvania State University. *Bull. Amer. Meteor. Soc.*, **71**, 792–805.
- Webb, R. S., C. E. Rosenzweig, and E. R. Levine (1993). Specifying land surface characteristics in general circulation models: soil profile data and derived water-holding capacities. *Global Biogeochemical Cycles*, **7**, 97–108.
- Weber, S. L., H. von Storch, P. Viterbo, and L. Zambresky (1993). Coupling an ocean wave model to an atmospheric general circulation model. *Climate Dyn.*, **9**, 53–61.
- Webster, P. J. and G. L. Stephens (1983). Cloud–radiation interaction and the climate problem. In *The Global Climate*, ed. J. T. Houghton. Cambridge University Press, pp. 63–78.

- Weidinger, T., J. Pinto, and L. Horváth (2000). Effects of uncertainties in universal functions, roughness length, and displacement height on the calibration of surface layer fluxes. *Meteor. Zeit.*, **9**, 139–154.
- Weisman, M. L., W. C. Skamarock, and J. B. Klemp (1997). The resolution dependence of explicitly modeled convective systems. *Mon. Wea. Rev.*, **125**, 527–548.
- Welch, R. M., S. K. Cox, and J. M. Davis (1980). *Solar Radiation and Clouds. Meteorology Monographs*, No. 39. American Meteorological Society.
- Wetzel, P. and J.-T. Chang (1987). Concerning the relationship between evapotranspiration and soil moisture. *J. Clim. Appl. Meteor.*, **26**, 18–27.
- Wichmann, M. and E. Schaller (1986). On the determination of the closure parameters in higher-order closure models. *Bound.-Layer Meteor.*, **37**, 323–341.
- Williams, R. J., K. Broersma, and A. L. Van Ryswyk (1978). Equilibrium and actual evapotranspiration from a very dry vegetated surface. *J. Appl. Meteor.*, **17**, 1827–1832.
- Wilson, D. R. and S. P. Ballard (1999). A microphysically based precipitation scheme for the UK Meteorological Office Unified Model. *Quart. J. Roy. Meteor. Soc.*, **125**, 1607–1636.
- Wilson, L. J. and M. Vallée (2002). The Canadian updateable model output statistics (UMOS) system: design and development tests. *Wea. Forecasting*, **17**, 206–222.
- Wolf, B. J. and D. R. Johnson (1995a). The mesoscale forcing of a midlatitude upper-tropospheric jet streak by a simulated convective system. Part I: Mass circulation and ageostrophic processes. *Mon. Wea. Rev.*, **123**, 1059–1087.
- (1995b). The mesoscale forcing of a midlatitude upper-tropospheric jet streak by a simulated convective system. Part II: Kinetic energy and resolution analysis. *Mon. Wea. Rev.*, **123**, 1088–1111.
- Woodcock, F. and C. Engel (2005). Operational consensus forecasts. *Wea. Forecasting*, **20**, 101–111.
- Wu, M. L. (1980). The exchange of infrared radiative energy in the troposphere. *J. Geophys. Res.*, **85**, 4084–4090.
- Wyngaard, J. C. (1985). Structure of the planetary boundary layer and implications for its modeling. *J. Clim. Appl. Meteor.*, **24**, 1131–1142.
- Xu, M., J.-W. Bao, T. T. Warner, and D. J. Stensrud (2001a). Effect of time step size in MM5 simulations of a mesoscale convective system. *Mon. Wea. Rev.*, **129**, 502–516.
- Xu, M., D. J. Stensrud, J.-W. Bao, and T. T. Warner (2001b). Applications of the adjoint technique to short-range ensemble forecasting of mesoscale convective systems. *Mon. Wea. Rev.*, **129**, 1395–1418.
- Xue, H. and J. M. Bane, Jr. (1997). A numerical investigation of the Gulf Stream and its meanders in response to cold air outbreaks. *J. Phys. Oceanogr.*, **27**, 2606–2629.
- Xue, H., J. M. Bane, Jr., and L. M. Goodman (1995). Modification of the Gulf Stream through strong air-sea interactions in winter: observations and numerical simulations. *J. Phys. Oceanogr.*, **25**, 533–557.
- Xue, H., Z. Pan, and J. M. Bane, Jr. (2000). A 2D coupled atmosphere-ocean model study of air-sea interactions during a cold air outbreak over the Gulf Stream. *Mon. Wea. Rev.*, **128**, 973–996.
- Xue, Y., M. J. Fennessy, and P. J. Sellers (1996). Impact of vegetation properties on U.S. summer weather prediction. *J. Geophys. Res.*, **101**, 7419–7430.
- Yaglom, J. M. (1977). Comments on wind and temperature flux-profile relationships. *Bound.-Layer Meteor.*, **11**, 89–102.

- Yamada, T. and G. Mellor (1975). A simulation of the Wangara boundary layer data. *J. Atmos. Sci.*, **32**, 2309–2329.
- Yanai, M. and R. H. Johnson (1993). Impacts of cumulus convection on thermodynamic fields. In *The Representation of Cumulus Convection in Numerical Models of the Atmosphere*, ed. K. A. Emanuel and D. J. Raymond. *Meteorology Monographs*, No. 46. American Meteorological Society, pp. 39–62.
- Yanai, M., S. Esbensen, and J. Chu (1973). Determination of bulk properties of tropical cloud clusters from large-scale heat and moisture budgets. *J. Atmos. Sci.*, **30**, 611–627.
- Yanai, M., J.-H. Chu, T. E. Stark, and T. Nitta (1976). Response of deep and shallow tropical maritime cumuli to large-scale processes. *J. Atmos. Sci.*, **33**, 976–991.
- Yin, Z. and T. H. L. Williams (1997). Obtaining spatial and temporal vegetation data from Landsat MSS and AVHRR/NOAA satellite images for a hydrological model. *Photogr. Eng. Remote Sens.*, **63**, 69–77.
- Young, G. S. (1988). Turbulence structure of the convective boundary layer. Part II: Phoenix 78 aircraft observations of thermals and their environments. *J. Atmos. Sci.*, **45**, 727–735.
- Yussouf, N., D. J. Stensrud, and S. Lakshminarahan (2004). Cluster analysis of multimodel ensemble data over New England. *Mon. Wea. Rev.*, **132**, 2452–2462.
- Zamora, R. J., S. Solomon, E. G. Dutton, *et al.* (2003). Comparing MM5 radiative fluxes with observations gathered during the 1995 and 1999 Nashville southern oxidant studies. *J. Geophys. Res.*, **108**, doi: 10.1029/2002JD002122.
- Zamora, R. J., E. G. Dutton, M. Trainer, *et al.* (2005). The accuracy of solar irradiance calculations used in mesoscale numerical weather prediction. *Mon. Wea. Rev.*, **133**, 783–792.
- Zängl, G. (2002). An improved method for computing horizontal diffusion in a sigma-coordinate model and its application to simulations over mountainous topography. *Mon. Wea. Rev.*, **130**, 1423–1432.
- Zeman, O. (1981). Progress in the modeling of planetary boundary layers. *Ann. Rev. Fluid Mech.*, **13**, 253–272.
- Zeng, X. (2001). Global vegetation root distribution for land modeling. *J. Hydrometeor.*, **2**, 525–530.
- Zeng, X. and R. E. Dickinson (1998). Effect of surface sublayer on surface skin temperature and fluxes. *J. Climate*, **11**, 537–550.
- Zeng, X., M. Zhao, and R. E. Dickinson (1998). Comparison of bulk aerodynamic algorithms for the computation of sea surface fluxes using the TOGA COARE data. *J. Climate*, **11**, 2628–2644.
- Zhang, D.-L. and R. A. Anthes (1982). A high-resolution model of the planetary boundary layer – sensitivity tests and comparisons with SESAME-79 data. *J. Appl. Meteor.*, **21**, 1594–1609.
- Zhang, D.-L. and R. Harvey (1995). Enhancement of extratropical cyclogenesis by a mesoscale convective system. *J. Atmos. Sci.*, **52**, 1107–1127.
- Zhang, D.-L. and W.-Z. Zheng (2004). Diurnal cycles of surface winds and temperatures as simulated by five boundary layer parameterizations. *J. Appl. Meteor.*, **43**, 157–169.
- Zhang, D.-L., E.-Y. Hsie, and M. W. Moncrieff (1988). A comparison of explicit and implicit predictions of convective and stratiform precipitating weather systems with a meso- β scale numerical model. *Quart. J. Roy. Meteor. Soc.*, **114**, 31–60.

- Zhang, G. J. and H.-R. Cho (1991). Parameterization of the vertical transport of momentum by cumulus clouds. Part II: Application. *J. Atmos. Sci.*, **48**, 2448–2457.
- Zhang, H. and C. S. Frederiksen (2003). Local and nonlocal impacts of soil moisture initialization on AGCM seasonal forecasts: a model sensitivity study. *J. Climate*, **16**, 2117–2137.
- Zhao, Q. and F. H. Carr (1997). A prognostic cloud scheme for operational NWP models. *Mon. Wea. Rev.*, **125**, 1931–1953.
- Zhou, Y. P. and R. D. Cess (2000). Validation of longwave atmospheric radiation models using atmospheric radiation measurement data. *J. Geophys. Res.*, **105**, 29 703–29 716.
- Zhu, Y. and R. E. Newell (1998). A proposed algorithm for moisture fluxes from atmospheric rivers. *Mon. Wea. Rev.*, **126**, 725–735.
- Ziegler, C. L. (1985). Retrieval of thermal and microphysical variables in observed convective storms. Part I: Model development and preliminary testing. *J. Atmos. Sci.*, **42**, 1487–1509.
- (1988). Retrieval of thermal and microphysical variables in observed convective storms. Part II: Sensitivity of cloud processes to variation of the microphysical parameterization. *J. Atmos. Sci.*, **45**, 1072–1090.
- Ziegler, C. L., P. S. Ray, and N. C. Knight (1983). Hail growth in an Oklahoma multicell storm. *J. Atmos. Sci.*, **40**, 1768–1791.
- Ziegler, C. L., T. J. Lee, and R. A. Pielke, Sr. (1997). Convective initiation at the dryline: a modeling study. *Mon. Wea. Rev.*, **125**, 1001–1026.
- Ziehmann, C. (2000). Comparison of a single-model EPS with a multi-model ensemble consisting of a few operational models. *Tellus*, **52A**, 280–299.
- Zilitinkevich, S. (1995). Non-local turbulent transport: pollution dispersion aspects of coherent structure of convective flows. In *Air Pollution Theory and Simulation, Air Pollution III*, vol. I, ed. H. Power, N. Moussiopoulos, and C. A. Brebbia. Computational Mechanics Publications, pp. 53–60.
- Zilitinkevich, S. and D. V. Chalikov (1968). On the determination of the universal wind and temperature profiles in the surface layer of the atmosphere. *Izv. Acad. Sci. U.S.S.R., Atmos. Oceanic Phys.*, **4**, 294–302.
- Zilitinkevich, S., A. A. Grachev, and C. W. Fairall (2001). Scaling reasoning and field data on the sea surface roughness lengths for scalars. *J. Atmos. Sci.*, **58**, 320–325.
- Zobler, L. (1986). A world soil file for global climate modeling. NASA Tech. Memo. 87802.
- Županski, D. and F. Mesinger (1995). Four-dimensional variational assimilation of precipitation data. *Mon. Wea. Rev.*, **123**, 1112–1127.
- Županski, M., D. Županski, T. Vukicevic, K. Eis, and T. Vonder Haar (2005). CIRA/CSU four-dimensional variational data assimilation system. *Mon. Wea. Rev.*, **133**(4), 829–843.

Index

- absorption 307, 312
absorption coefficient 317
absorption lines 309
accretion 283–286
 frozen particles 291–293
activation control 227
adsorption 96
adjustment timescale 213
advection time period 242
aerosols 21, 127, 266
 data sets 336
 effects on climate 260, 336
 effects on cloud cover 347
 effects on shortwave radiation 338
 indirect effects 260, 336
aerosol optical depth 338
 observations 336, 339
aggregates 270–272
aggregation parameterization 290–291
air quality predictions 246
air–sea gas transfer 137
air–sea interactions 120–121
airmass modification 122
albedo 15, 17–20, 24–25, 346
alternating unit tensor 147
angle of incidence 17, 19
antecedent precipitation index 45
apparent heat source 194
 convective 199–201
 mesoscale stratiform 197–201
 relation to convective parameterization 200
 total 196
apparent moisture sink 194
 convective 199–201
 mesoscale stratiform 197–201
 relation to convective parameterization 200
 total 196
Arakawa–Schubert convective scheme 202–208
 closure assumption 205
 variations of 206
asymmetry factor 331, 363, 365
atmospheric rivers 122
atmospheric surface layer 37
atmospheric water vapor window 26, 321, 346
attenuating gas concentration 317
attenuation 314
autoconversion parameterization 281–283
 in cloud cover scheme 357
 scheme rate differences 282
AVHRR 67, 124
backscatter coefficient 326, 334
bare soil evaporation 80–84
baroclinic instability 397
Beer–Bouguer–Lambert law 313, 330
Bergeron–Findeisen mechanism 272
Betts–Miller convective scheme 209–224
 closure assumption 215
 deep vs. shallow 218
 environmental modifications 221–224
 flowchart 219
 grid spacing sensitivity 224
 moisture sensitivity 220
big-leaf canopy models 85
bin microphysical parameterization 275
biophysical control 63–65
blackbody radiation 20, 310–312
blocking by orography 374, 376
 layer height 388
 parameterization 387–388
Boltzmann’s constant 310
boundary layer 138
 budgets 156
 convective 141
 depths 138
 influence of surface fluxes 22, 122, 337
 model comparisons 161, 174, 177–179
diurnal cycle 138–144, 172
entrainment drying 141
influences on convection 145
moistening 141
nocturnal 143
regimes 141
rolls 142, 180, 186
stable 138, 143
well-mixed 139

- boundary layer schemes
 challenges 176–181
 first-order closure 164–169
 mixed layer 152–157
 non-local diffusion 159–162
 one-and-a-half-order closure 169–172
 penetrative convection 157–159
 second-order closure 172–175
 transient turbulence 162
- Bowen ratio 22
 breeding of growing modes 397
 Brunt–Väisälä frequency 375
 bucket model 46
 bulk microphysical parameterizations 275
 buoyancy flux 118
 buoyancy sorting 246–248
 buoys 124
- canopy
 evaporation 84–85
 intercepted liquid water 84
 multi-layer models 90
 physiological models 90
 resistance 44, 86–88
 water budget 84
- capability vs. forecast skill 257, 393–394
- capillarity 95
 capillary waves 130
 capping inversion 14
 carbon dioxide 137
 data sets 335–336
- characteristic curves
 soil-freezing 54
 soil potential 100–102
- Charnock's constant 129, 131
 cirrus clouds 157, 347, 370
 Clausius–Clapeyron equation 265, 280, 356
- climate simulations
 aerosol effects 260, 347
 cloud effects 346–347, 361
 ecosystem responses 406
 effects of land use in 64
 ensembles for 399–400
 expectations 407
 microphysics linkages 260
 sensitivity to convective parameterization 257
 vegetation and land use influences on 64
- closure 9, 147–175, 190
 cloud base, influence on radiation 369
 cloud condensation nuclei 266
 size and concentration 266
- cloud cover 27
 aerosol modification 261, 347
 definition 27, 347
 effects on incoming shortwave radiation 17, 346–347
 effects on longwave radiation 27–28, 346–347
 effects on surface temperatures 347
 observations 348, 369
- cloud cover schemes 347–349
 challenges 347
 comparisons with observations 367
 diagnostic schemes 348, 349–353
 discussion of issues surrounding 367–371
 grid spacing dependency 348
 ice processes 358
 low-level cloud challenges 352
 maximum overlap approximation 366
 maximum-random overlap approximation 364
 minimum overlap approximation 366
 overlap approximation 362
 prognostic schemes 348, 353–360
 random overlap approximation 364
 RH dependence 349, 367
 scheme comparisons 353
 statistical schemes 348, 358
 Sundqvist scheme 355–358
 superparameterization 359
 Tiedtke scheme 358
- cloud droplets 265–268
 aerosol chemical composition and activation 261
 critical radius 267
 effective radius 363, 365, 370
 equilibrium vapor pressure over surface 265
 formation 266
 growth in relation to droplet size 267
 importance to radiation 370
 size assumption 276, 284
 supercooled 272
- cloud formation 260, 348
 cloud layer moisture sensitivities 220, 238, 244
- cloud microphysics
 link to climate 260
 link to thunderstorms 261
- cloud particles 265–274
 cloud droplets 265–268
- cloud–radiation interactions 360–367
 feedbacks 346–347
 longwave 360–364
 shortwave 365–367
- cloud streets 142, 186
 cloud water path 361
 cloud work function 204
- clouds 346–347
 absorption uncertainties 369
 emissivity 360–367
 formation 121, 260, 347
 fractal nature 262, 348
 grid spacing needed to represent 262, 348
 influence on radiation 346–347
 liquid water absorption 365
 shading effects 346
- clustering methods 403
 coalescence efficiency 268
- cohesion theory for water movement 95
 cold air outbreaks 123
 cold pool 277
 collaboration 59, 405
 collection efficiency 268
 collision and coalescence 268, 272

- collision efficiency 268
compensating subsidence 202, 229, 352
computer resources 401
condensation 279–281
 adjustment factor 281
 convective scheme 192
conditional symmetric instability 226
conductance 31
conduction 30
conductivity
 soil hydraulic 94, 103, 107
 thermal 30, 287
conserved variable diagram 156
convection 185–186
 deep 186
 diurnal cycle 249, 252
 divergent flows 207
 forecasting 227
 generation of gravity waves 208, 389
 generation of vortices 186
 influence on environment 193–201
 convective contribution 199–201
 mesoscale stratiform contribution 197–201
 intensity forecasts 246
 shallow 187
 upper-level divergence 186
convective available potential energy 178, 188–189
convective boundary layer 141
convective inhibition 189
convective parameterization schemes
 Arakawa–Schubert scheme 202–208
 variations on 206
 Betts–Miller scheme 209–224
 deep vs. shallow 218
 climate model sensitivity to 257
 closure 190
 conceptual viewpoints 190–192
 discussion of limitations 250–258
 Emanuel scheme 246–248
 evaluation of 221–224
 grid spacing issues 257
 instability-control 191
 interactions with other parameterization
 schemes 254
 deep-layer control 190, 201–227
 dynamic schemes 190
 Gregory–Rowntree scheme 233–237
 hybrid schemes 192
 Kain–Fritsch scheme 237–246
 Kuo scheme 224–227
 lifetime 188
 low-level control 190
 mass flux schemes 191, 229–231
 moisture-control 191
 momentum transport 188
 relation to heat and moisture budgets 200
 simple bulk cloud model 230
 static schemes 190, 209
 success as influenced by large-scale forcing 192
 Tiedtke scheme 231–233
 trigger functions 191
cool-to-space term 323
countergradient fluxes 151, 157, 164, 165, 168, 171
coupled ocean–atmosphere models 124, 135, 399, 401
critical level 375
crop yield 406
cumulus clouds 185, 186, 258
cumulus mass flux 203
current 28
 ocean 123
cyclones 120, 186, 346, 374
 tropical 121, 123, 133, 136, 210
Darcy's law 94, 104–105
data assimilation 3, 398
 ensemble Kalman filter 398
 land surface 109
 ocean 135
 variational methods 398
declination angle 24
deep convection 186
 convective 187
 heat and moisture budgets 193–201
 stratiform 187
 upscale influences of 186
deep-layer control convective schemes 201–227
 Arakawa–Schubert scheme 202–208
 Betts–Miller scheme 209–224
 Kuo scheme 224–227
deep-water gravity wave relationship 130
deliquescence 266
delta-Eddington approximation 333
density
 graupel 300
 hail 300
deposition parameterization 293–295
detrainment 203, 230–232, 234
 forced 235
differential heating 14
 produced by clouds 346
diffuse shortwave radiative transfer
 equation 331
diffusion, horizontal 175–176
diffusivity
 factor for radiation 317
 momentum 33, 160
 thermal 30
 water vapor 33, 287
digital elevation models 56
direct shortwave radiative transfer equation 330
disaster planning 406
disease prevention 406
displacement depth 36
distribution
 particle sizes 274
diurnal cycle 138–144, 172, 249, 252
Doppler broadening 309
downdraft mass flux 230, 232, 239
downdrafts 232, 239
downgradient diffusion 171, 173
downgradient fluxes 165, 168
downslope winds 389, 391

- drag 374, 376, 380
 low-level 374
 upper-level 375
 drainage 104
 drainage flows 143
 dry static energy 193
 drylines 14, 298
 dynamic convective scheme 190
 dynamic viscosity 282
 economic value 406
 Eddington approximation 331–333
 eddy conductivity 33
 eddy diffusivity 33, 160, 171
 eddy sizes 139
 eddy viscosity 33, 34, 36
 effective cloud droplet radius 363, 365, 370
 effective roughness length 36–37
 El Niño Southern Oscillation 122, 185, 393
 electromagnetic spectrum 309
 elevated mixed or residual layers 145, 220
 Emanuel convective scheme 246–248
 closure assumption 246
 downdraft formulation 248
 emergency management 406
 emission lines 309
 emissivity 20, 21, 25
 atmospheric 26
 changes due to cloud cover 362
 cloud 360–367
 effective 362
 longwave radiation 322
 modified 323
 overlap approximation 322, 362
 empirical length scales 170, 174
 empirical tuning of schemes 394
 ensemble Kalman filter 398
 ensembles 3, 395–403
 initial perturbations 396
 merging high-resolution forecasts
 and 401–403
 multi-model 399
 multi-physics 399
 stochastic physics 399
 enthalpy conservation 215
 entraining plume models 191
 entrainment 140, 153, 203, 231, 232, 234
 variable rates 237
 entrainment coefficient 154, 158, 203
 typical values 156
 entrainment drying regimes 141
 envelope orography 387
 equilibrium control scheme 201
 equilibrium level 189
 evanescent waves 379
 evaporation 80–91
 bare soil 80, 84
 canopy water 84, 85
 cloud cover scheme 357
 importance in convective heat and moisture budgets 199
 microphysics parameterization 286–288
 potential 80, 82–84
 evapotranspiration 80
 explicit parameterization 191, 261
 links with implicit parameterization 261
 fall velocity
 graupel 272
 hail 272
 mass-weighted 288
 raindrops 268
 snow 272
 feedbacks, cloud–radiation 346–347
 field capacity 45, 103
 first-order closure boundary layer scheme 164–169
 flow blocking 374, 376
 flux 28
 latent heat 15, 21–23, 42–48
 momentum 33–39
 sensible heat 21, 30–31
 flux-gradient relationship 31, 34, 165, 168
 forced detrainment 235
 forecast uncertainty 396, 402
 forecasters
 challenges 10, 393
 use of models 10, 406
 value of 224, 246, 398, 406
 free convection scaling velocity 129
 freezing rain 269
 friction velocity 35, 129
 Friedholm integral equation 206
 fronts 14, 121, 346
 Froude inverse number 375, 384–388
 frozen soil 53–55, 107
 gamma distribution 274
 gap winds 123
 graupel 272–274
 density 272, 300
 fall speeds 272
 formation parameterization 291
 intercept parameters 300
 size distributions 274
 gravitational potential 97
 gravity wave drag 380
 grid spacing dependence 384
 parameterization 384–387
 produced by convection 389
 gravity waves 143, 208, 375
 breaking simulations 391
 ocean 130
 green vegetation fraction 66, 68
 climatology 70
 real-time values 70
 importance of 115
 greenhouse gases 21, 137, 335, 336
 Gregory–Rowntree convective scheme 233–237
 closure assumption 236
 grid cell 4

- grid spacing 4, 6
influence on cloud cover schemes 348
influence on convective schemes 224, 243,
245, 257
influence on orographic drag schemes 375,
384, 389
influence on radiation schemes 325, 343
needed for explicit microphysics 262
optimal? 180, 402
ground heat flux 15, 48–55
intercomparison of schemes 113
model vs. observations 113
multi-level model 49
slab model 49–50
Gulf stream 123
gustiness factor 129
habits 264, 271
Hadley cell 185
hail 272–274
density 300
fall speeds 272
formation 273
formation parameterization 291
liquid fraction 273
meltwater 295–297
size distributions 274
sizes 273
spongy ice 273
haze 266
heat and moisture budgets due to
convection 193, 201
assessment of 195
convective contribution 199–201
mesoscale stratiform contribution 197–201
residuals 193, 194
vertical profiles 196
hedges 61
high-resolution forecasts 347–349
merging ensembles and 401–403
horizontal diffusion 175–176
human beings 1, 10, 393, 405
influences of 20
hybrid schemes 192, 263
hydrological cycle 122, 186
ice crystals 270–272
aggregates 272
aggregation parameterization 290–291
formation 271
habits 264, 271
influence on cirrus clouds 370
initiation 271
initiation parameterization 288–290
growth 271
riming 272–274
size distributions 274
splintering 273
ice nucleation 271
ice nuclei 271, 288
temperature dependence 271, 289
ice particle types 264
ice pellets 269
ice supersaturation 271
ice thermal conductivity 51
implicit parameterization 188
links with explicit parameterization 261
indirect aerosol effects 260, 347
infiltration 55, 107
ingredients based approach 227
initial condition sensitivity 3
instability control convective schemes 191
insulation 66
intensity, radiation 310
intercept parameter 274
interfacial sublayer 40
resistance from 41–42
inverse Froude number 375, 384–388
inversion layer 14, 139
irradiance 312
Julian day 24
K-theory 164–169
Kain–Fritsch convective scheme 237–246
closure assumption 237, 240
concerns with 245
downdraft formulation 239
environmental modifications 241–244
grid spacing sensitivity 243, 245
moisture sensitivity 238, 244
Kersten number 51
kinematic viscosity 129, 296
Köhler curve 266
Kronecker delta 147
Kuo convective scheme 224–227
closure assumption 226
concerns with 226
variations of 226
land breezes 14, 121
land data assimilation systems 109
land use 64
effects in climate models 64
large-eddy simulations 180
latent heat flux 15, 21–23, 42–48, 133–134
discussion of uncertainties 58–59, 109–116,
135–137
land 15, 21–23, 42–48
measurements over oceans 136
model vs. observations 113
ocean 133–134
Penman–Monteith formulation 46–48
Priestley–Taylor formulation 48
soil–vegetation–atmosphere transfer schemes
80–91
discussion of uncertainties 109–116
intercomparisons 113
latent heating 185
leads 137
leaf–air interface 98
leaf area index 66, 69–70, 107–108

- level of free convection 189
 level of free sink 232, 239
 Liebniz' rule 153
 lifting condensation level 209, 215
 local closure boundary layer schemes 164–175
 first order 164–169
 major weakness 174
 one-and-a-half order 169–172
 second order 172–175
 use with non-local closure 175–176
 local hour of the sun 24
 local solar noon 24
 log wind profile 35
 corrections to 37–38
 uncertainties of 58
 longwave radiation schemes 25–28, 315–326
 clear skies 26, 315
 cloudy skies 26–28, 315, 360–364
 with ice clouds 363
 with partial cloudiness 363
 comparison of scheme results 321, 325, 341
 comparison with observations 342
 correlated- k method 320
 data sets for use in 335–336
 discussion of limitations 337–343
 empirical schemes 315–316
 flux equations 316
 grid spacing dependence 325, 343
 integrating over frequency 318
 line-by-line models 318
 microphysics sensitivities 370
 Monte Carlo methods 343
 narrow-band models 320–322
 rain and snow effects 361
 rapid-radiative transfer model 318
 scaling approximation 317
 simplified exchange method 323
 spherical harmonic discrete ordinate method 343
 stored k_r values 318
 terrain influences 341
 two-parameter approximation 318
 two-stream methods 316–326
 wide-band models (emissivity methods) 322–326
 low-level blocking drag parameterization 387–388
 low-level control convective schemes 227–248
 Emanuel scheme 246–248
 Gregory–Rowntree scheme 233–237
 Kain–Fritsch scheme 237–246
 Tiedtke scheme 231–233
 low-level jet 14, 121, 144
 formation mechanisms 144
 Madden–Julian oscillation 359
 malaria incidence 406
 Marshall–Palmer distribution 274
 mass flux convective schemes 191, 203, 229–231
 Emanuel scheme 246–248
 Gregory–Rowntree scheme 233–237
 Kain–Fritsch scheme 237–246
 Tiedtke scheme 231–233
 mass flux kernel 205
 mass-weighted fall speed 288
 metric potential 96
 maximum-random overlap approximation 364
 maximum value composites 68
 medium-range forecasting 128, 131, 373
 ensembles for 397, 399
 melting parameterization 295–297
 mesocyclones 261
 mesophyll potential 97
 mesoscale convective systems 14, 186, 197, 393
 generation of gravity waves 389
 raindrop distributions within 286
 simulation, sensitivity to grid spacing 262
 microphysics particle types 265–274
 microphysics schemes 275–297
 accretion 283–286
 frozen particles 291–293
 aggregation 290–291
 autoconversion 281–283
 bin 275
 bulk 275
 challenges 263
 condensation 279–281
 deposition 293–295
 differences between schemes 277
 discussion of limitations 297–304
 double-moment 275, 304
 benefits of 276
 equations 278
 evaporation 286–288
 ice initiation 288–290
 importance to radiation calculations 370
 intercept parameter parameterization 302
 mass-weighted fall speeds 288
 melting 295–297
 observations 302
 order dependence 295
 relation to grid spacing 264
 riming 292
 sensitivities 277, 297–304
 single-moment 275
 slope parameter 276
 three-body process 293
 triple-moment 275
 Mie scattering 331
 migration of insects and birds 144
 mixed layer schemes 152–157
 mixed layer velocity scale 160
 mixing-length 167
 mixing-length theory 167
 mixing lines 209–211, 218
 mixing profiles 235
 model resolution 4–6
 moist static energy 193
 moist virtual adiabat 211
 moisture accession 226
 moisture availability 44–46
 moisture control convective schemes 191
 moisture convergence 226, 232

- momentum flux 33
wave 381, 386
- momentum transfer
affected by vegetation 92–93
convective 188
- Monin–Obukhov length 38
- monodisperse 276, 284
- Monte Carlo
initial condition generation 396
methods for radiative transfer 343
- mountain wave stress 384
- mountains 373
drag 376
influence on atmosphere 56–58,
377–380
wave breaking 375
- multiple reflections 20, 21, 66
- near infrared 66
- neutral stratification 375
- nocturnal boundary layer 143
- non-classical mesoscale circulations 14, 22, 346
- non-local closure boundary layer schemes
diffusion 159–162
mixed layer 152–157
penetrative convection 157–159
transient turbulence 162
use with local closure 175–176
- non-local diffusion boundary layer
scheme 159–162
- normalized difference vegetation index
(NDVI) 67–68
calculation of leaf area index 69–70
calculation of vegetation fraction 68
- numerical techniques 4
- numerical weather prediction 1
challenges due to model complexity 2–3
computational costs 6
ensembles 395–403
history, brief 1–2
model capabilities 1
success of 405
taken for granted 406
use of 1
- obstacles 373
drag from 376
flow around 376
height 376
- ocean–atmosphere models 124, 135
- ocean currents 123
- ocean fluxes
latent 133–134
sensible 127–133, 136
uncertainties 135–137
- ocean mixed layer 123
- ocean wave model 135
- ocean waves
age 131
capillary 130
gravity 130
- influence on roughness length 130
- swell 130
- wavelength 130
- Ohm's law 28
- one-and-a-half-order closure boundary layer
scheme 169–172
- optical depth 313
aerosol 338
atmosphere 314
vegetation 108
- optical thickness 313, 331, 365
- optimization periods 398
- orographic drag parameterizations
challenges to 388–392
comparison of schemes 386, 389
discovery of need for 373
gravity wave drag 375, 384–387
grid spacing dependence 375, 384, 389
low-level flow blocking 376, 387–388
low-level wave breaking 387
saturation hypothesis 386
simple theory 375–384
simulation length dependence 389
surface wind direction influence 385
variance of subgrid orography 384
wave breaking determination 386
- osmotic potential 96
- overlap approximation 362, 369
- ozone 307
data sets 335–336
effects on shortwave radiation 339
- parameterization 6–11, 393–394
behavioral lockouts 220, 399, 401
closure 9, 190
feedbacks 7–8, 394
future of 393–394, 405–407
need for 6–8
testing 394
tuning 394
use of output 10
- particle size distributions 274
gamma 274
intercept parameter 274
log-normal functions 275
Marshall–Palmer 274
slope parameter 274
uncertainties 274
- particle types 265–274
- path length 16–17
- penetrative convection boundary layer scheme
157–159
- Penman–Monteith 46–48, 82
- perturbation 146
- phase changes of water substance 263
- phenology of vegetation 72
- photosynthesis 63
- photosynthetically active radiation 63
- Planck's law 310
- Planck function 310
- plane-parallel atmosphere 314, 343, 371

- planetary boundary layer 138
 convective 141
 depth 138
 model comparison 161, 174,
 177–179
 diurnal cycle 138–144
 entrainment drying 141
 influences on convection 145
 moistening 141
 nocturnal 143
 regimes 141
 rolls 142, 186
 stable 138
 well-mixed 139
- planetary boundary layer schemes
 challenges 176–181
 first-order closure 164–169
 mixed layer 152–157
 non-local diffusion 159–162
 one-and-a-half-order closure 169–172
 penetrative convection 157–159
 second-order closure 172–175
 transient turbulence 162
- plant potential 97
 plants 65, 66, 98
 C_3 64
 C_4 64
 resistance factor 86
- polar lows 121
 polar-orbiting satellites 67, 124, 125
 porosity 50, 101
 postprocessing 403–405
 bias correction 404
 model output statistics 403
 reforecasting 404
- potential 93–103
 gravitational 97
 matric 96
 measurements 97
 mesophyll 97
 osmotic 96
 plant 97
 pressure 94
 saturation matric 101
 sequence over days 99
 soil 97
 soil characteristic curves 100–102
- potential evaporation 80, 82–84
 potential temperature 280
 precipitable water 26
 precipitation 186, 192
 efficiency 248
 particles 265–274
- predictability 395
 pressure broadening 309
 pressure drag 384
 pressure potential 94
 Priestley–Taylor 48
 probability density function 358
 probability distribution function 395
- Q_1 194
 vertical profile 196
 Q_2 194
 vertical profile 196
 quasi-biennial oscillation 389
 quasi-equilibrium assumption 205, 209, 213
 concerns with 206–208
- radiance 310
 radiation 306
 absorption coefficient 312
 basic concepts 309, 314
 cloud effects 346–347, 360–367
 data sets used in schemes 335–336
 downwelling longwave 15, 21, 25–28, 315–326
 importance of 306, 339
 leaf absorption 66
 longwave 20
 microphysics sensitivities 370
 near-infrared 66
 net 14
 photosynthetically active 63
 shortwave 15–17
 spectral distributions 307
 two-stream approximation 307
 upwelling longwave 15, 20–21, 25
 vegetation effects 107–108
 visible 16
- radiative transfer 312–314
 rain
 freezing 269
 prediction sensitivity to microphysics 277
 time to formation 269
- rain bands 121
 raindrops 268–269
 break up 269
 cloud droplet broadening to produce 276
 distribution 274
 fall speeds 268
 formation 268
 outcomes of collisions 268
 size distribution 274
 supercooled 273
- random overlay approximation 364
 rapid soil drying 80
 Rayleigh scattering 328, 329
 reference profiles 212, 213–219
 reflectance 334
 regional climate simulations
 sensitivity to convective parameterization 257
- representative analysis errors 398
 residual layer 143
 resistance 28–30
 canopy layer 44, 86–88, 92–93
 interfacial layer 41–42
 latent heat flux 43–44, 134
 leaf 92
 minimum stomatal 87
 momentum 33–39
 parallel configuration 32

- sensible heat flux 31, 40, 41, 128
series and parallel configuration 32–33
series configuration 32
soil 103
surface layer 40, 92–93
resolution 4–6
Reynolds averaging 146, 194
Reynolds number 287
 roughness 41–42
Reynolds stress 149, 384
Richards' equation 105
Richardson number 83, 376
 critical value 161, 376
 minimum value 385
time 296
rimed ice particles 272
riming 272–274
 parameterization 292
rolls 142, 180, 186
root soil interface 98
roots 64
 depth 64
 distribution 86
 effect on climate 65
Rossby wave trains 122, 185
roughness
 changes to surface 58
roughness length 34, 35, 92
 effective 36–37
 latent heat flux 43, 134
 momentum flux 35
 ocean 129, 130, 136
 sensible heat flux 41, 42, 131
roughness Reynolds number 41–42, 131
runoff 106
- satellites, polar-orbiting 67, 124, 125
saturation
 hypothesis 386
 metric potential 101
 points 209
 pressure departure 214
 ratio 265
scattering 313, 331
scattering angle 331
scattering phase function 331
Schmidt number 287
Scorer parameter 378, 380, 386
sea breezes 121
sea ice 125, 137
sea spray 131–133, 134
sea state 130
 capillary waves 130
 gravity waves 130
 swell 130
sea surface temperature 122–127
seasonal forecasting 14, 399–400
 crop yield 406
 ensembles for 399–400
 malaria prediction 406
- second-order closure boundary layer scheme 172–175
secondary ice particles 273
sensible heat flux 15, 127–133
 derivation of equation 30–31
 discussion of uncertainties 58–59, 109–116, 135–137
intercomparisons of schemes 113
land 15
 measurements over oceans 136
models vs. observations 113
ocean 127–133, 136
 origin of 40
 variations 12
severe storms 261, 300, 401
shallow Boussinesq approximation 148
shallow convection 185–187
shallow convective schemes 249
 Arakawa–Schubert scheme 202–208
 Betts–Miller scheme 218
 Gregory–Rowntree scheme 233–237
 Tiedtke scheme 233
shape factor 108
shelter factor 93
ship observations 124
short-range forecasting
 air quality predictions 406
 economic value 406
 ensembles for 398, 399
 public health 406
 severe weather 401, 402
shortwave radiation schemes 23–25, 326–335
adding-doubling method 335
adding method 335
aerosol influences upon 340
cloud cover influences upon 326, 340
cloudy skies 365–367
comparison of scheme results 339
comparisons with observations 337, 342
data sets for use in 335–336
delta-Eddington approximation 333
diffuse component 329
direct component 329, 330
discussion of limitations 337–343
Eddington approximation 331–333
empirical methods 326–329
grid spacing dependency 343
microphysics sensitivities 370
Monte Carlo methods 343
simplifications used 329
spherical harmonic discrete ordinate method 343
terrain influences 17, 341
two-stream approximation 333–334
two-stream methods 329–335
vegetation influence upon 107–108
- single-scattering albedo 331, 365
singular vectors 397
slantwise convective scheme 226
sleet 269
slope parameter 274, 276
snow cover 19, 20, 55

- snow crystals 272
 size distribution 274
 snow models 55
 snowflakes 272
 soil 75–79
 characteristic curves of potential 100–102
 frozen 53–55, 107
 particle size 76
 porosity 50
 potential 97
 quartz content 51–52
 surveys 79
 soil-freezing characteristic curve 54
 soil heat capacity 49
 including ice 53, 54
 related to soil water 50
 soil hydraulic conductivity 103
 Soil Map of the World 75
 soil models 48–55
 force-restore (slab approach) 49–50
 multi-level 49
 soil moisture 93–107
 availability 44–46, 65, 93–107
 influence of 14
 initialization in models 109
 measurements 59, 110–111
 models vs. observations 59
 soil potential 97
 soil–root interface 98
 soil specific heat 49
 soil saturation 101
 soil temperature 39, 109
 changes due to vegetation fraction 115
 diurnal changes 23
 initialization in models 109
 soil texture 76, 102
 heterogeneity 103, 111
 USDA triangle 76
 soil thermal conductivity 50–52
 dry 51
 including ice 55
 saturated 51
 soil thermal diffusivity 49
 soil type 76
 soil–vegetation–atmosphere transfer schemes 80–91
 discussion of uncertainties 109–116
 intercomparisons 113
 soil water diffusivity 106
 solar constant 15–16
 solar declination angle 24
 solid angle 310
 specific content 283
 spectral lines 309
 spherical harmonic discrete ordinate method 343
 spongy ice 273
 SSM/I 125
 stability
 function profiles 38–39, 129, 160
 neutral 40, 160
 stable 38, 40, 160
 unstable 38, 40, 160
 stable boundary layer 143
 stable stratification 375
 State Soil Geographic (STATSGO) database 79
 static energy
 dry 193
 moist 193
 static scheme 190, 209
 statistical cloud cover schemes 348, 358
 Stefan–Boltzmann constant 25, 312
 Stefan–Boltzmann law 20, 312
 stochastic coalescence equation 284
 stochastic mixing model 238
 Stokes number 285
 stomatal resistance models 90
 stomates 63
 stratification 375
 stratiform rainfall, percentage of total rainfall 197
 stress 381, 388
 subgrid variability
 land surface 91
 terrain 57
 sublimation 293
 subparcel mixtures 238
 summation notation 147
 sunspots 16
 Sundqvist cloud cover scheme 355–358
 supercell thunderstorms 220, 261, 300
 supercooled drops 272
 superparameterization cloud cover approach 359
 supersaturation 266
 surface energy budget 14–23, 55–56
 surface layer 37
 swell 130
 terrain 56–58
 influence on boundary layers 180
 subgrid variance of 57, 384
 uncertainties 56
 Tiedtke cloud cover scheme 358
 Tiedtke convective scheme 231–233
 closure assumption 232
 downdraft formulation 232
 variations of 233
 thermal conductivity 30, 294
 thermal diffusivity 30, 161
 thermally induced circulations 14, 22, 346
 thermals 138
 thermodynamic diagram 210, 221–224, 241–244
 three-body process 293
 thunderstorm simulations
 importance of cloud microphysics 261, 300
 sensitivity to grid spacing 262
 transient turbulence boundary layer
 scheme 162
 transmission function 316
 direct shortwave 330
 longwave 320
 scaling approximation 317
 stored values 318
 two-parameter approximation 318
 transmissivity 24, 25

- transmittance 334
 transpiration from vegetation 85–91
 trapped lee wave 380, 382
 trigger functions 191, 237, 240–241, 249–250
 tropical cyclones 121, 123, 133, 136, 210
 turbulence 138, 176
 - boundary layer 142
 - decoupling 143
 - generation 376, 381
 - gust equation 149
 - intermittent 143, 176
 - production 142
 - transient 162
 turbulence closure 147–150
 - first-order 164–169
 - local 151, 164–175
 - motivation for higher order 151
 - non-local 151–163
 - one-and-a-half-order 169–172
 - order 150
 - problem 150
 - second-order 172–175
 turbulent kinetic energy 169, 172
 two-stream approximation 307, 333–334
- unit vector 147
 updraft mass flux 230, 240
 updraft source layer 233
 updrafts 139
 upscale growth 6
 upwelling 123
 USDA soil texture triangle 76
- van't Hoff relation 97
 vapor pressure of sea water 134
 variable entrainment/detrainment 237
 variational methods 398
 vegetation 63–66
 - biomass 66, 69–70
 - canopies 65
 - dynamic models 66
 - green fraction 66, 68
 - importance of 115
 - phenology 72
 - radiation, effects upon 107–108
 - rapid changes in 65
 - seasonal cycle 72
 - type 64, 66, 72–74
- velocity
 - fall 268, 272, 288
 - friction 35, 129
 ventilation effects 287
 viscosity
 - dynamic 282
 - eddy 33, 34, 36
 - kinematic 129
 voltage 28
 volumetric ice content 53
 volumetric water content 45
 von Karman's constant 35, 160, 168
- Walker cell 185
 water thermal conductivity 51
 water use efficiency 64
 wave age 131
 wave breaking 128, 131, 375, 381, 386
 - low-level 387
 - simulation comparisons 391
 wave model, ocean 135
 waves
 - critical level 375
 - drag 380
 - energy reflection 380
 - evanescent 379
 - generated by convection 208
 - gravity waves 143, 208, 375
 - ocean 130
 - momentum flux 381, 386
 - observations 382
 - mountain 377–380, 390
 - ocean
 - age 131
 - breaking 128, 131
 - capillary 130
 - gravity 130
 - influence on roughness length 130
 - model 135
 - swell 130
 - resonant 380
 - trapped 380, 382
 - vertically propagating 379
- well-mixed boundary layer 139
 Wien's displacement law 310
 wilting point 80, 100, 103
- zenith angle 23–24, 313

